Hosa Technology
2011 RETAIL PRICELIST

CONTENTS

ANALOG AUDIO	Pages
New Items	2
Microphone Cables	3-4
Microphone Adaptors	5
Microphone Stands	6
Instrument Cables	7-8
Instrument Interfaces	9
Instrument Footswitches	10
Instrument Stands	11
Speaker Cables	12-17
Speaker Adaptors	18
Pro Single Interconnects	19-20
Pro Dual Interconnects	20
Single Interconnects	21-22
Dual Interconnects	23
Insert Cables	24
Snakes	25-26
Stage Box Snakes	27
Specialty Cables	28
Camcorder Microphone Cables	29-30
Stereo Breakouts	31
Y Cables	32-33
Adaptors	34-36
Bulk Cables	37
Neutrik Connectors	38-39
Connectors	40-42
Wallplates	43-44
Patchbays	45
Patch Cables	45
Headphones	46
Headphone Cables	46
Made for Jamhub	47
DIGITAL AUDIO	
AES/EBU Cables	48
S/PDIF Optical Cables	49
S/PDIF Interfaces	49
ANALOG VIDEO	
VGA Cables	50
VGA Adaptors	50
S-Video Cables	51
Composite AV Cables	52
75-ohm Coax	53
75-ohm Adaptors	53
DIGITAL VIDEO	
HDMI Cables	54
DATA	
Midi Cables	55
Control & Sync Cables	56
Firewire Cables	57
USB Cables	58
Network Cables	59
DMX Cables	60
ACCESSORIES	
Organizers	61
Power Supplies & Batteries	62
Power Cables & Adaptors	63
Goby Labs Cleaners & Conditioners	64-65
Cable Testers	66
Console Lamps	67

NEW FOR 2011

2011!!!

Over 350 New Items

- Great Sales
- Great Values
- Great Margins

NEUTRIK

Items Featuring Neutrik Connectors	
Elite Microphone Cables *CXP Series*	3
Pro-Conex Stage Box Snakes *SNX Series*	27
Camcorder Microphone Cables *MXX, MXM, and MMX Series*	29
Original Neutrik Connectors *Various Series*	38
Cables Featuring REAN Connectors by Neutrik	
Pro Guitar Cables *HGTR Series*	7
Pro Microphone Cables *HMIC-000 Series*	3
Pro Interconnects *Various Series*	19
Other Great Additions	
Elite Guitar Patch Cables *GTR-RR Series*	7
Powered Speaker Cables *PPC-100 Series*	18
Made for JamHub Accessories *Various Models*	47
Goby Labs Cleaners *GLM-112 and GSC-102*	64



REAN CONNECTORS
a brand of Neutrik AG

Description	Model	Length
Elite Microphone Cable	Neutrik XLR3F to XLR3M, 20 AWG x 2 OFC, 95% OFC Braid	
Gold-plated Contacts, Black-chrome Housing	CMK-003AU	3 ft
	CMK-005AU	5 ft
	CMK-010AU	10 ft
	CMK-015AU	15 ft
	CMK-020AU	20 ft
	CMK-025AU	25 ft
	CMK-030AU	30 ft
	CMK-050AU	50 ft
	CMK-075AU	75 ft
	CMK-100AU	100 ft

Description	Model	Length
Microphone Cable	Neutrik XLR3F to XLR3M, 24 AWG x 2 OFC, 95% OFC Braid	
Silver-plated Contacts, Nickel Housing	MMK-003AU	3 ft
	MMK-005AU	5 ft
	MMK-010AU	10 ft
	MMK-015AU	15 ft
	MMK-020AU	20 ft
	MMK-025AU	25 ft
	MMK-030AU	30 ft
	MMK-050AU	50 ft
	MMK-075AU	75 ft
	MMK-100AU	100 ft

Description	Model	Length
Elite Microphone Cable	Neutrik XLR3F to 1/4 in TS, 20 AWG x 2 OFC, 95% OFC Braid	
Gold-plated Contacts, Black-chrome Housing	CXP-003	3 ft
	CXP-005	5 ft
	CXP-010	10 ft
	CXP-015	15 ft
	CXP-020	20 ft
	CXP-025	25 ft
	CXP-030	30 ft
	CXP-050	50 ft
	CXP-075	75 ft
	CXP-100	100 ft

Description	Model	Length
Microphone Cable	Neutrik XLR3F to 1/4 in TS, 24 AWG x 2 OFC, 95% OFC Braid	
Silver-plated Contacts, Nickel Housing	MXP-003	3 ft
	MXP-005	5 ft
	MXP-010	10 ft
	MXP-015	15 ft
	MXP-020	20 ft
	MXP-025	25 ft
	MXP-030	30 ft
	MXP-050	50 ft
	MXP-075	75 ft
	MXP-100	100 ft

Description	Model	Length
Microphone Cable	Switchcraft XLR3F to XLR3M, 20 AWG x 2 OFC, 95% OFC Braid	
	MSC-003	3 ft
	MSC-005	5 ft
	MSC-010	10 ft
	MSC-015	15 ft
	MSC-020	20 ft
	MSC-025	25 ft
	MSC-030	30 ft
	MSC-050	50 ft
	MSC-075	75 ft
	MSC-100	100 ft

Description	Model	Length
Pro Microphone Cable	REAN XLR3F to XLR3M, 20 AWG x 2 OFC, 90% OFC Braid	
	HMIC-003	3 ft
	HMIC-005	5 ft
	HMIC-010	10 ft
	HMIC-025	25 ft
	HMIC-050	50 ft
	HMIC-100	100 ft

Description	Model	Length
Pro Microphone Cable	REAN XLR3F to 1/4 in TS, 20 AWG x 2 OFC, 90% OFC Braid	
	HMIC-005HZ	5 ft
	HMIC-010HZ	10 ft
	HMIC-025HZ	25 ft
Microphone Cable	Hosa XLR3F to XLR3M, 24 AWG x 4 OFC, 90% OFC Braid	
	CMI-110	10 ft
	CMI-125	25 ft
Microphone Cable	Hosa XLR3F to XLR3M, 22 AWG x 2 OFC, 88% OFC Braid	
	MCL-103	3 ft
	MCL-105	5 ft
	MCL-110	10 ft
	MCL-125	25 ft
	MCL-150	50 ft
	MCL-1100	100 ft
Microphone Cable	Hosa XLR3F to 1/4 in TS, 22 AWG x 2 OFC, 88% OFC Braid	
	MCH-105	5 ft
	MCH-110	10 ft
	MCH-125	25 ft

Description	Model	Length
Economy Microphone Cable	Hosa XLR3F to XLR3M, 24 AWG x 2 OFC, 76% OFC Spiral	
	MBL-105	5 ft
	MBL-110	10 ft
	MBL-125	25 ft
Tracklink Microphone to USB Interface	XLR3F to USB Type A	
	USX-110	10 ft

The fun and easy way to connect your microphone to your computer.

- *Plug and play—no driver required*
- *Works with condenser or dynamic microphones*
- *Compatible with most Mac and Windows audio software*

Please visit www.hosatech.com for features and specifications

Description	Model	Length
Impedance Transformer	XLR3F to 1/4 in TS, Matches 200R Output to 50K Input	
	MIT-176	6 in
		
Impedance Transformer	XLR3F to 1/4 in TS, Matches 200R Output to 50K Input	
	MIT-435	
		
Impedance Transformer	XLR3F to 3.5 mm TRS, Matches 600R Output to 2.5K Input	
	MIT-156	18 in
		
Impedance Transformer	1/4 in TS to XLR3M, Matches 50K Output to 200R Input	
	MIT-129	
		
Power Switch	XLR3F to XLR3M, Switching Off Shorts Pin 2 to Pin 3	
	GMS-274	
Input Attenuator	XLR3F to XLR3M, Selectable -20 dB, -30 dB, or -40 dB Attenuation	
	ATT-448	
Ground Lifter	XLR3F to XLR3M, Pin 1 Is Lifted	
	GLT-255	
Phase Reverser	XLR3F to XLR3M, Pins 2 and 3 Are Crossed	
	GXX-195	

ANALOG AUDIO

Description	Model	Length
Microphone Stand	Tripod base, Chrome	
	MSB-521	Chrome
	MSB-521BK	Black
	Stand Only	
	MST-140	Chrome
	MST-140BK	Black
	Boom Only	
	MSB-446	Black
Microphone Stand	Tripod Base, Black	
	MSB-382BK	Black
Microphone Stand	Round Base, Chrome	
	MSB-139	Chrome
	MST-141	Chrome
	MST-141BK	Black
Microphone Clip	Rubber	
	MHR-422	22 mm
	MHR-425	25 mm
	Plastic	
	MHR-222	22 mm
	MHR-225	25 mm
Microphone Clip	Spring-clip	
	MHR-122	

Description	Model	Length
Quad Microphone Holder	Accommodates Four Ball-style Microphones	
	MMH-346	
Quad Microphone Holder	Accommodates Four Microphone Clips	
	MMH-455	
Universal Stand Clamp	Fits most microphone and drum stands	
	MMH-472	
Microphone Clip Adaptor	US Thread to EU Thread	
	MHD-3 BULK	
Microphone Stand Adaptor	US Thread to EU Thread	
	MHD-4	

Description	Model	Length
Elite Guitar Cable	G&H Industries Straight to Same, 20 AWG OFC, 95% OFC Braid	
	GTR-005	5 ft
	GTR-010	10 ft
	GTR-015	15 ft
	GTR-020	20 ft
	GTR-025	25 ft
Elite Guitar Cable	G&H Industries Straight to Right-angle, 20 AWG OFC, 95% OFC Braid	
	GTR-005R	5 ft
	GTR-010R	10 ft
	GTR-015R	15 ft
	GTR-020R	20 ft
	GTR-025R	25 ft
Elite Guitar Patch Cable	G&H Industries Right-angle to Same, 20 AWG OFC, 95% OFC Braid	
	GTR-000.5RR	6 in
	GTR-001RR	12 in
	GTR-001.5RR	18 in
Pro Guitar Cable	REAN Straight to Same, 20 AWG OFC, 90% OFC Braid	
	HGTR-005	5 ft
	HGTR-010	10 ft
	HGTR-015	15 ft
	HGTR-020	20 ft
	HGTR-025	25 ft
Pro Guitar Cable	REAN Straight to Right-angle, 20 AWG OFC, 90% OFC Braid	
	HGTR-005R	5 ft
	HGTR-010R	10 ft
	HGTR-015R	15 ft
	HGTR-020R	20 ft
	HGTR-025R	25 ft

Description	Model	Length
Pro Guitar Patch Cable	REAN Right-angle to Same, 20 AWG OFC, 90% OFC Braid	
	HGTR-000.5RR	6 in
	HGTR-001RR	12 in
	HGTR-001.5RR	18 in
Guitar Cable	Hosa Straight to Same, 24 AWG OFC, 90% OFC Braid	
	GTR-205	5 ft
	GTR-210	10 ft
	GTR-215	15 ft
	GTR-220	20 ft
	GTR-225	25 ft
Guitar Cable	Hosa Straight to Right-angle, 24 AWG OFC, 90% OFC Braid	
	GTR-205R	5 ft
	GTR-210R	10 ft
	GTR-215R	15 ft
	GTR-220R	20 ft
	GTR-225R	25 ft
Guitar Patch Cable	Hosa Right-angle to Same, 24 AWG OFC, 90% OFC Spiral	
	CPE-106	6 in
	CPE-112	12 in
	CPE-118	18 in
	CPE-411	Various Lengths
	CPE-606	6 in

ANALOG AUDIO

Description	Model	Length
Tweed Guitar Cable	Hosa Straight to Same, 24 AWG OFC, 90% OFC Spiral	
	GTR-518	18 ft
Tweed Guitar Cable	Hosa Straight to Right-angle, 24 AWG OFC, 90% OFC Spiral	
	GTR-518R	18 ft
Cloth Guitar Cable	Hosa Straight to Same, 24 AWG OFC, 90% OFC Spiral	
	3GT-18C1	18 ft
	3GT-18C2	18 ft
	3GT-18C3	18 ft
	3GT-18C4	18 ft
	3GT-18C5	18 ft
	3GT-PAK	18 ft
Coiled Guitar Cable	Hosa Straight to Right-angle, 22 AWG OFC, 80% OFC Spiral	
	GTC-325R	25 ft
Guitar Patch Cable	Low-profile Right-angle to Same, 24 AWG OFC, 80% OFC Spiral	
	IRG-100.5	6 in
	IRG-101	1 ft
	IRG-103	3 ft
	IRG-600.5	6 in

Description	Model	Length
Guitar Patch Cable	Molded Right-angle to Same, 24 AWG OFC, 80% OFC Spiral	
	CFS-106	6 in
	CFS-112	1 ft
	CFS-606	6 in
Guitar Pedal Crank	1/4 in TS to Same, Offset Placement	
	GPP-146	
Guitar Pedal Coupler	1/4 in TS to Same	
	GPP-296	

Description	Model	Length
Tracklink Guitar to USB Interface	1/4 in TS to USB Type A	
	USQ-110	10 ft

The fun and easy way to connect your electric guitar to your computer

- *Plug and play—no driver required*
- *Indicator light indicates secure connection and recording status*
- *Compatible with most Mac and Windows audio software*

Please visit www.hosatech.com for features and specifications

Active DI Box	1/4 in TS to XLR3M	
	DIB-307A	

The Hosa Active DI Box utilizes a built-in preamplifier to convert a guitar-level signal to line level, preserving more of a guitar's tonal character and frequency range than a passive DI box. Features include:

- *Phantom power operation (when phantom power is present)*
- *9 V battery (power adaptor sold separately)*
- *Extruded aluminum chassis*

Power Adaptor for Active DI Box	9 VDC 50 mA, 4.75 mm OD x 1.75 mm ID, Center Positive	
	ACA-281	

Sidekick Passive DI Box	1/4 in TS to XLR3M	
	DIB-443	

The Sidekick Passive DI Box utilizes an isolation transformer to convert a guitar-level signal to a line-level signal suitable for transmission over long distances via a balanced interconnect or snake. Features include:

- *Switchable instrument/line level throughput*
- *Ground lift switch*
- *Not for speaker-level signals*

Description	Model	Operation Type
Footswitch	Guitar-style, Single-latching, 1/4 in TS Interconnect Sold Separately	
	FSC-384	
Footswitch	Guitar-style, Dual-latching, 1/4 in TRS Interconnect Sold Separately	
	FSC-385	
Footswitch	Choose Latching or Momentary Operation	
	FSC-601	Latching
	FSC-604	Momentary Selectable

Latching footswitches (FSC-601) are used for on/off switching. Momentary footswitches (FSC-604) are used for keyboard sustain, punch in/out, and patch advance. The momentary footswitch above (FSC-604) features selectable normally open or normally closed operation, making it ideal for use with all electronic keyboards.

Footswitch	Choose Latching or Momentary Operation	
	FSC-501	Latching
	FSC-502	Momentary Normally Open
	FSC-503	Momentary Normally Closed

Latching footswitches (FSC-501) are used for on/off switching. Momentary footswitches (FSC-502 and FSC-503) are used for keyboard sustain, punch in/out, and patch advance. Roland and Yamaha electronic keyboards require momentary normally closed footswitches (FSC-503). All other electronic keyboards require momentary normally open footswitches (FSC-502).

Description	Model
Guitar Stand	Traditional-style, Height 635-780 mm GST-437
Guitar Stand	A-frame, Height 440 mm GST-438
Keyboard Stand	Single-X, Height 640-980 mm KBT-442
Music Stand	Conductor-style, Folding Base, Height 940-1420 mm MUS-439

Description	Model	Length
Speaker Cable	Neutrik speakON to Same, 12 AWG x 4 OFC	
	SKO-203	3 ft
	SKO-205	5 ft
	SKO-210	10 ft
	SKO-215	15 ft
	SKO-220	20 ft
	SKO-225	25 ft
	SKO-230	30 ft
	SKO-250	50 ft
	SKO-275	75 ft
	SKO-2100	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Same, 14 AWG x 4 OFC	
	SKO-403	3 ft
	SKO-405	5 ft
	SKO-410	10 ft
	SKO-415	15 ft
	SKO-420	20 ft
	SKO-425	25 ft
	SKO-430	30 ft
	SKO-450	50 ft
	SKO-475	75 ft
	SKO-4100	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to 2 x Hosa Dual Banana, 12 AWG x 4 OFC	
	SKO-203BN	3 ft
	SKO-205BN	5 ft
	SKO-210BN	10 ft
	SKO-215BN	15 ft
	SKO-220BN	20 ft
	SKO-225BN	25 ft
	SKO-230BN	30 ft
	SKO-250BN	50 ft
	SKO-275BN	75 ft
	SKO-2100BN	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to 2 x Hosa Dual Banana, 14 AWG x 4 OFC	
	SKO-403BN	3 ft
	SKO-405BN	5 ft
	SKO-410BN	10 ft
	SKO-415BN	15 ft
	SKO-420BN	20 ft
	SKO-425BN	25 ft
	SKO-430BN	30 ft
	SKO-450BN	50 ft
	SKO-475BN	75 ft
	SKO-4100BN	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to 2 x Hosa 1/4 in TS, 12 AWG x 4 OFC	
	SKO-203Q	3 ft
	SKO-205Q	5 ft
	SKO-210Q	10 ft
	SKO-215Q	15 ft
	SKO-220Q	20 ft
	SKO-225Q	25 ft
	SKO-230Q	30 ft
	SKO-250Q	50 ft
	SKO-275Q	75 ft
	SKO-2100Q	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to 2 x Hosa 1/4 in TS, 14 AWG x 4 OFC	
	SKO-403Q	3 ft
	SKO-405Q	5 ft
	SKO-410Q	10 ft
	SKO-415Q	15 ft
	SKO-420Q	20 ft
	SKO-425Q	25 ft
	SKO-430Q	30 ft
	SKO-450Q	50 ft
	SKO-475Q	75 ft
	SKO-4100Q	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Same, 12 AWG x 2 OFC	
	SKT-203	3 ft
	SKT-205	5 ft
	SKT-210	10 ft
	SKT-215	15 ft
	SKT-220	20 ft
	SKT-225	25 ft
	SKT-230	30 ft
	SKT-250	50 ft
	SKT-275	75 ft
	SKT-2100	100 ft

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Same, 12 AWG x 2 OFC	
	SKJ-203	3 ft
	SKJ-205	5 ft
	SKJ-210	10 ft
	SKJ-215	15 ft
	SKJ-220	20 ft
	SKJ-225	25 ft
	SKJ-230	30 ft
	SKJ-250	50 ft
	SKJ-275	75 ft
	SKJ-2100	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Hosa Dual Banana, 12 AWG x 2 OFC	
	SKT-203BN	3 ft
	SKT-205BN	5 ft
	SKT-210BN	10 ft
	SKT-215BN	15 ft
	SKT-220BN	20 ft
	SKT-225BN	25 ft
	SKT-230BN	30 ft
	SKT-250BN	50 ft
	SKT-275BN	75 ft
	SKT-2100BN	100 ft

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Dual Banana, 12 AWG x 2 OFC	
	SKJ-203BN	3 ft
	SKJ-205BN	5 ft
	SKJ-210BN	10 ft
	SKJ-215BN	15 ft
	SKJ-220BN	20 ft
	SKJ-225BN	25 ft
	SKJ-230BN	30 ft
	SKJ-250BN	50 ft
	SKJ-275BN	75 ft
	SKJ-2100BN	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Hosa 1/4 in TS, 12 AWG x 2 OFC	
	SKT-203Q	3 ft
	SKT-205Q	5 ft
	SKT-210Q	10 ft
	SKT-215Q	15 ft
	SKT-220Q	20 ft
	SKT-225Q	25 ft
	SKT-230Q	30 ft
	SKT-250Q	50 ft
	SKT-275Q	75 ft
	SKT-2100Q	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Same, 14 AWG x 2 OFC	
	SKT-403	3 ft
	SKT-405	5 ft
	SKT-410	10 ft
	SKT-415	15 ft
	SKT-420	20 ft
	SKT-425	25 ft
	SKT-430	30 ft
	SKT-450	50 ft
	SKT-475	75 ft
	SKT-4100	100 ft

ANALOG AUDIO

Description	Model	Length
Speaker Cable	Neutrik speakON to Hosa Dual Banana, 14 AWG x 2 OFC	
	SKT-403BN	3 ft
	SKT-405BN	5 ft
	SKT-410BN	10 ft
	SKT-415BN	15 ft
	SKT-420BN	20 ft
	SKT-425BN	25 ft
	SKT-430BN	30 ft
	SKT-450BN	50 ft
	SKT-475BN	75 ft
	SKT-4100BN	100 ft

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Dual Banana, 14 AWG x 2 OFC	
	SKJ-403BN	3 ft
	SKJ-405BN	5 ft
	SKJ-410BN	10 ft
	SKJ-415BN	15 ft
	SKJ-420BN	20 ft
	SKJ-425BN	25 ft
	SKJ-430BN	30 ft
	SKJ-450BN	50 ft
	SKJ-475BN	75 ft
	SKJ-4100BN	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Hosa 1/4 in TS, 14 AWG x 2 OFC	
	SKT-403Q	3 ft
	SKT-405Q	5 ft
	SKT-410Q	10 ft
	SKT-415Q	15 ft
	SKT-420Q	20 ft
	SKT-425Q	25 ft
	SKT-430Q	30 ft
	SKT-450Q	50 ft
	SKT-475Q	75 ft
	SKT-4100Q	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Same, 16 AWG x 2 OFC	
	SKT-603	3 ft
	SKT-605	5 ft
	SKT-610	10 ft
	SKT-615	15 ft
	SKT-620	20 ft
	SKT-625	25 ft
	SKT-630	30 ft
	SKT-650	50 ft
	SKT-675	75 ft
	SKT-6100	100 ft

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Same, 14 AWG x 2 OFC	
	SKJ-403	3 ft
	SKJ-405	5 ft
	SKJ-410	10 ft
	SKJ-415	15 ft
	SKJ-420	20 ft
	SKJ-425	25 ft
	SKJ-430	30 ft
	SKJ-450	50 ft
	SKJ-475	75 ft
	SKJ-4100	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Hosa Dual Banana, 16 AWG x 2 OFC	
	SKT-603BN	3 ft
	SKT-605BN	5 ft
	SKT-610BN	10 ft
	SKT-615BN	15 ft
	SKT-620BN	20 ft
	SKT-625BN	25 ft
	SKT-630BN	30 ft
	SKT-650BN	50 ft
	SKT-675BN	75 ft
	SKT-6100BN	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Hosa 1/4 in TS, 16 AWG x 2 OFC	
	SKT-603Q	3 ft
	SKT-605Q	5 ft
	SKT-610Q	10 ft
	SKT-615Q	15 ft
	SKT-620Q	20 ft
	SKT-625Q	25 ft
	SKT-630Q	30 ft
	SKT-650Q	50 ft
	SKT-675Q	75 ft
	SKT-6100Q	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Same, 12 AWG x 2 OFC, Clear Zip	
	SKC-203	3 ft
	SKC-205	5 ft
	SKC-210	10 ft
	SKC-215	15 ft
	SKC-220	20 ft
	SKC-225	25 ft
	SKC-230	30 ft
	SKC-250	50 ft
	SKC-275	75 ft
	SKC-2100	100 ft

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Same, 16 AWG x 2 OFC	
	SKJ-603	3 ft
	SKJ-605	5 ft
	SKJ-610	10 ft
	SKJ-615	15 ft
	SKJ-620	20 ft
	SKJ-625	25 ft
	SKJ-630	30 ft
	SKJ-650	50 ft
	SKJ-675	75 ft
	SKJ-6100	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Hosa Dual Banana, 12 AWG x 2 OFC, Clear Zip	
	SKC-203BN	3 ft
	SKC-205BN	5 ft
	SKC-210BN	10 ft
	SKC-215BN	15 ft
	SKC-220BN	20 ft
	SKC-225BN	25 ft
	SKC-230BN	30 ft
	SKC-250BN	50 ft
	SKC-275BN	75 ft
	SKC-2100BN	100 ft

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Dual Banana, 16 AWG x 2 OFC	
	SKJ-603BN	3 ft
	SKJ-605BN	5 ft
	SKJ-610BN	10 ft
	SKJ-615BN	15 ft
	SKJ-620BN	20 ft
	SKJ-625BN	25 ft
	SKJ-630BN	30 ft
	SKJ-650BN	50 ft
	SKJ-675BN	75 ft
	SKJ-6100BN	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Hosa 1/4 in TS, 12 AWG x 2 OFC, Clear Zip	
	SKC-203Q	3 ft
	SKC-205Q	5 ft
	SKC-210Q	10 ft
	SKC-215Q	15 ft
	SKC-220Q	20 ft
	SKC-225Q	25 ft
	SKC-230Q	30 ft
	SKC-250Q	50 ft
	SKC-275Q	75 ft
	SKC-2100Q	100 ft

ANALOG AUDIO

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Same, 12 AWG x 2 OFC, Clear Zip	
	SKM-203	3 ft
	SKM-205	5 ft
	SKM-210	10 ft
	SKM-215	15 ft
	SKM-220	20 ft
	SKM-225	25 ft
	SKM-230	30 ft
	SKM-250	50 ft
	SKM-275	75 ft
	SKM-2100	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Hosa Dual Banana, 16 AWG x 2 OFC, Clear Zip	
	SKC-603BN	3 ft
	SKC-605BN	5 ft
	SKC-610BN	10 ft
	SKC-615BN	15 ft
	SKC-620BN	20 ft
	SKC-625BN	25 ft
	SKC-630BN	30 ft
	SKC-650BN	50 ft
	SKC-675BN	75 ft
	SKC-6100BN	100 ft

Speaker Cable	Hosa 1/4 in TS to Dual Banana, 12 AWG x 2 OFC, Clear Zip	
	SKM-203BN	3 ft
	SKM-205BN	5 ft
	SKM-210BN	10 ft
	SKM-215BN	15 ft
	SKM-220BN	20 ft
	SKM-225BN	25 ft
	SKM-230BN	30 ft
	SKM-250BN	50 ft
	SKM-275BN	75 ft
	SKM-2100BN	100 ft

Speaker Cable	Neutrik speakON to Hosa 1/4 in TS, 16 AWG x 2 OFC, Clear Zip	
	SKC-603Q	3 ft
	SKC-605Q	5 ft
	SKC-610Q	10 ft
	SKC-615Q	15 ft
	SKC-620Q	20 ft
	SKC-625Q	25 ft
	SKC-630Q	30 ft
	SKC-650Q	50 ft
	SKC-675Q	75 ft
	SKC-6100Q	100 ft

Speaker Cable	Neutrik speakON to Same, 16 AWG x 2 OFC, Clear Zip	
	SKC-603	3 ft
	SKC-605	5 ft
	SKC-610	10 ft
	SKC-615	15 ft
	SKC-620	20 ft
	SKC-625	25 ft
	SKC-630	30 ft
	SKC-650	50 ft
	SKC-675	75 ft
	SKC-6100	100 ft

Speaker Cable	Hosa 1/4 in TS to Same, 16 AWG x 2 OFC, Clear Zip	
	SKM-603	3 ft
	SKM-605	5 ft
	SKM-610	10 ft
	SKM-615	15 ft
	SKM-620	20 ft
	SKM-625	25 ft
	SKM-630	30 ft
	SKM-650	50 ft
	SKM-675	75 ft
	SKM-6100	100 ft

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Dual Banana, 16 AWG x 2 OFC, Clear Zip	
	SKM-603BN	3 ft
	SKM-605BN	5 ft
	SKM-610BN	10 ft
	SKM-615BN	15 ft
	SKM-620BN	20 ft
	SKM-625BN	25 ft
	SKM-630BN	30 ft
	SKM-650BN	50 ft
	SKM-675BN	75 ft
	SKM-6100BN	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Hosa 1/4 in TS, 16 AWG x 2 OFC, Black Zip	
	SKN-603Q	3 ft
	SKN-605Q	5 ft
	SKN-610Q	10 ft
	SKN-615Q	15 ft
	SKN-620Q	20 ft
	SKN-625Q	25 ft
	SKN-630Q	30 ft
	SKN-650Q	50 ft
	SKN-675Q	75 ft
	SKN-6100Q	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Same, 16 AWG x 2 OFC, Black Zip	
	SKN-603	3 ft
	SKN-605	5 ft
	SKN-610	10 ft
	SKN-615	15 ft
	SKN-620	20 ft
	SKN-625	25 ft
	SKN-630	30 ft
	SKN-650	50 ft
	SKN-675	75 ft
	SKN-6100	100 ft
	SKN-603BN	3 ft

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Same, 16 AWG x 2 OFC, Black Zip	
	SKZ-603	3 ft
	SKZ-605	5 ft
	SKZ-610	10 ft
	SKZ-615	15 ft
	SKZ-620	20 ft
	SKZ-625	25 ft
	SKZ-630	30 ft
	SKZ-650	50 ft
	SKZ-675	75 ft
	SKZ-6100	100 ft

Description	Model	Length
Speaker Cable	Neutrik speakON to Hosa Dual Banana, 16 AWG x 2 OFC, Black Zip	
	SKN-605BN	5 ft
	SKN-610BN	10 ft
	SKN-615BN	15 ft
	SKN-620BN	20 ft
	SKN-625BN	25 ft
	SKN-630BN	30 ft
	SKN-650BN	50 ft
	SKN-675BN	75 ft
	SKN-6100BN	100 ft

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Dual Banana, 16 AWG x 2 OFC, Black Zip	
	SKZ-603BN	3 ft
	SKZ-605BN	5 ft
	SKZ-610BN	10 ft
	SKZ-615BN	15 ft
	SKZ-620BN	20 ft
	SKZ-625BN	25 ft
	SKZ-630BN	30 ft
	SKZ-650BN	50 ft
	SKZ-675BN	75 ft
	SKZ-6100BN	100 ft

Description	Model	Notes/ Length
Neutrik Speaker Coupler	speakON to Same	
	NL4MMX	
Neutrik Speaker Adaptor	1/4 in TS to speakON	
	NA4LJX	
Speaker Adaptor	Hosa 1/4 in TS to Neutrik speakON	
	GSK-112	12 AWG
	GSK-116	16 AWG
Speaker Adaptor	Hosa 1/4 in TS to Dual Banana	
	BNP-116BK	16 AWG
	BNP-116RD	16 AWG
	BNP-118	18 AWG
Powered Speaker Cable	XLR3F and NEMA 5-15P to XLR3M and IEC C13	
	PPC-110	10 ft
	PPC-125	25 ft
	PPC-150	50 ft
	PPC-175	75 ft
	PPC-1100	100 ft

This cable is designed to provide a convenient solution for connecting mixing consoles to powered monitors. Incorporating both shielded power and shielded audio lines into a single cable, it is a clear upgrade to pairing an XLR interconnect with a conventional, unshielded power cord. Features include:

- *UL-approved, 18 AWG power cord to deliver AC power*
- *24 AWG audio interconnect to deliver line-level audio signals*
- *Both cables are shielded ensuring noise-free signal transmission*
- *3 ft fans on both ends to accommodate most powered speaker configurations*
- *Industry standard connectors, including Neutrik X series XLR connectors*

Description	Model	Length
Pro Balanced Interconnect	REAN XLR3F to XLR3M, 24 AWG x 2 OFC, 90% OFC Spiral	
	HXX-001.5	1.5 ft
	HXX-003	3 ft
	HXX-005	5 ft
	HXX-010	10 ft
	HXX-015	15 ft
	HXX-020	20 ft
	HXX-030	30 ft
	HXX-050	50 ft
	HXX-075	75 ft
	HXX-100	100 ft
Pro Balanced Interconnect	REAN XLR3F to 1/4 in TRS, 24 AWG x 2 OFC, 90% OFC Spiral	
	HXS-001.5	1.5 ft
	HXS-003	3 ft
	HXS-005	5 ft
	HXS-010	10 ft
	HXS-015	15 ft
	HXS-020	20 ft
	HXS-030	30 ft
	HXS-050	50 ft
	HXS-075	75 ft
	HXS-100	100 ft
Pro Balanced Interconnect	REAN 1/4 in TRS to XLR3M, 24 AWG x 2 OFC, 90% OFC Spiral	
	HSX-001.5	1.5 ft
	HSX-003	3 ft
	HSX-005	5 ft
	HSX-010	10 ft
	HSX-015	15 ft
	HSX-020	20 ft
	HSX-030	30 ft
	HSX-050	50 ft
	HSX-075	75 ft
	HSX-100	100 ft

Description	Model	Length
Pro Balanced Interconnect	REAN 1/4 in TRS to Same, 24 AWG x 2 OFC, 90% OFC Spiral	
	HSS-001.5	1.5 ft
	HSS-003	3 ft
	HSS-005	5 ft
	HSS-010	10 ft
	HSS-015	15 ft
	HSS-020	20 ft
	HSS-030	30 ft
	HSS-050	50 ft
	HSS-075	75 ft
	HSS-100	100 ft
Pro Unbalanced Interconnect	REAN 1/4 in TS to Same, 24 AWG OFC, 90% OFC Spiral	
	HPP-001.5	1.5 ft
	HPP-003	3 ft
	HPP-005	5 ft
	HPP-010	10 ft
	HPP-015	15 ft
	HPP-020	20 ft
Pro Unbalanced Interconnect	REAN XLR3F to 1/4 in TS, 24 AWG OFC, 90% OFC Spiral	
	HXP-001.5	1.5 ft
	HXP-003	3 ft
	HXP-005	5 ft
	HXP-010	10 ft
	HXP-015	15 ft
	HXP-020	20 ft
Pro Unbalanced Interconnect	REAN 1/4 in TS to XLR3M, 24 AWG OFC, 90% OFC Spiral	
	HPX-001.5	1.5 ft
	HPX-003	3 ft
	HPX-005	5 ft
	HPX-010	10 ft
	HPX-015	15 ft
	HPX-020	20 ft

Description	Model	Length
Pro Unbalanced Interconnect	REAN 1/4 in TS to RCA, 24 AWG OFC, 90% OFC Spiral	
	HPR-001.5	1.5 ft
	HPR-003	3 ft
	HPR-005	5 ft
	HPR-010	10 ft
	HPR-015	15 ft
	HPR-020	20 ft

Description	Model	Length
Pro Unbalanced Interconnect	REAN RCA to RCA, 24 AWG OFC, 90% OFC Spiral	
	HRR-001.5	1.5 ft
	HRR-003	3 ft
	HRR-005	5 ft
	HRR-010	10 ft
	HRR-015	15 ft
	HRR-020	20 ft
	HRR-030	30 ft
	HRR-050	50 ft
	HRR-075	75 ft
	HRR-100	100 ft

Description	Model	Length
Pro Unbalanced Interconnect	REAN XLR3F to RCA, 24 AWG OFC, 90% OFC Spiral	
	HXR-001.5	1.5 ft
	HXR-003	3 ft
	HXR-005	5 ft
	HXR-010	10 ft
	HXR-015	15 ft
	HXR-020	20 ft

Description	Model	Length
Pro Unbalanced Interconnect	REAN RCA to XLR3M, 24 AWG OFC, 90% OFC Spiral	
	HRX-001.5	1.5 ft
	HRX-003	3 ft
	HRX-005	5 ft
	HRX-010	10 ft
	HRX-015	15 ft
	HRX-020	20 ft

Description	Model	Length
Pro Stereo Interconnect	Dual REAN 1/4 in TRS to Same, 24 AWG x 2 OFC, 90% OFC Spiral	
	HSS-001.5X2	1.5 ft
	HSS-003X2	3 ft
	HSS-005X2	5 ft
	HSS-010X2	10 ft
	HSS-015X2	15 ft
	HSS-020X2	20 ft

Description	Model	Length
Pro Stereo Interconnect	Dual REAN 1/4 in TS to Same, 24 AWG OFC, 90% OFC Spiral	
	HPP-001.5X2	1.5 ft
	HPP-003X2	3 ft
	HPP-005X2	5 ft
	HPP-010X2	10 ft
	HPP-015X2	15 ft
	HPP-020X2	20 ft

Description	Model	Length
Pro Stereo Interconnect	Dual REAN 1/4 in TS to RCA, 24 AWG OFC, 90% OFC Spiral	
	HPR-001.5X2	1.5 ft
	HPR-003X2	3 ft
	HPR-005X2	5 ft
	HPR-010X2	10 ft
	HPR-015X2	15 ft
	HPR-020X2	20 ft

Description	Model	Length
Pro Stereo Interconnect	Dual REAN RCA to Same, 24 AWG OFC, 90% OFC Spiral	
	HRR-001.5X2	1.5 ft
	HRR-003X2	3 ft
	HRR-005X2	5 ft
	HRR-010X2	10 ft
	HRR-015X2	15 ft
	HRR-020X2	20 ft
	HRR-030X2	30 ft
	HRR-050X2	50 ft
	HRR-075X2	75 ft
	HRR-100X2	100 ft

Description	Model	Length
Balanced Interconnect	XLR3F to XLR3M	
	XLR-102	2 ft
	XLR-103	3 ft
	XLR-105	5 ft
	XLR-110	10 ft
	XLR-115	15 ft
	XLR-120	20 ft
Balanced Interconnect	Right-angle XLR3F to XLR3M	
	XFF-101.5	1.5 ft
	XFF-103	3 ft
	XFF-105	5 ft
	XFF-110	10 ft
	XFF-115	15 ft
	XFF-125	25 ft
Balanced Interconnect	XLR3F to Right-angle XLR3M	
	XRR-101.5	1.5 ft
	XRR-103	3 ft
	XRR-105	5 ft
	XRR-110	10 ft
	XRR-115	15 ft
	XRR-125	25 ft
Balanced Interconnect	XLR3F to 1/4 in TRS	
	STX-102F	2 ft
	STX-103F	3 ft
	STX-105F	5 ft
	STX-110F	10 ft
	STX-115F	15 ft
	STX-120F	20 ft
Balanced Interconnect	1/4 in TRS to XLR3M	
	STX-102M	2 ft
	STX-103M	3 ft
	STX-105M	5 ft
	STX-110M	10 ft
	STX-115M	15 ft
	STX-120M	20 ft

Description	Model	Length
Balanced Interconnect	1/4 in TRS to Same	
	CSS-103	3 ft
	CSS-105	5 ft
	CSS-110	10 ft
	CSS-115	15 ft
	CSS-125	25 ft
Balanced Interconnect	1/4 in TRS to Right-angle 1/4 in TRS	
	CSS-103R	3 ft
	CSS-105R	5 ft
	CSS-110R	10 ft
	CSS-115R	15 ft
Balanced Interconnect	Right-angle 1/4 in TRS to Same	
	CSS-103RR	3 ft
	CSS-105RR	5 ft
	CSS-110RR	10 ft
Balanced Interconnect	XLR3F to TT TRS	
	TTX-103F	3 ft
Balanced Interconnect	TT TRS to XLR3M	
	TTX-103M	3 ft
Balanced Interconnect	TT TRS to Same	
	TTS-102	2 ft

ANALOG AUDIO

Description	Model	Length
Balanced Interconnect	TT TRS to 1/4 in TRS	
	TTQ-103	3 ft
	TTQ-105	5 ft
Unbalanced Interconnect	1/4 in TS to Same	
	CPP-101	1 ft
	CPP-103	3 ft
	CPP-105	5 ft
	CPP-110	10 ft
	CPP-115	15 ft
Unbalanced Interconnect	1/4 in TS to Right-angle 1/4 in TS	
	CPP-103R	3 ft
	CPP-105R	5 ft
	CPP-110R	10 ft
	CPP-115R	15 ft
Unbalanced Interconnect	XLR3F to 1/4 in TS	
	PXF-102	2 ft
	PXF-103	3 ft
	PXF-105	5 ft
	PXF-110	10 ft
	PXF-115	15 ft
	PXF-120	20 ft
Unbalanced Interconnect	1/4 in TS to XLR3M	
	PXM-102	2 ft
	PXM-103	3 ft
	PXM-105	5 ft
	PXM-110	10 ft
	PXM-115	15 ft
	PXM-120	20 ft

Description	Model	Length
Unbalanced Interconnect	1/4 in TS to RCA	
	CPR-103	3 ft
	CPR-105	5 ft
	CPR-110	10 ft
	CPR-115	15 ft
Unbalanced Interconnect	Right-angle 1/4 in TS to RCA	
	CPR-103R	3 ft
	CPR-105R	5 ft
	CPR-110R	10 ft
	CPR-115R	15 ft
Unbalanced Interconnect	RCA to RCA	
	CRA-103	3 ft
	CRA-105	5 ft
	CRA-110	10 ft
	CRA-115	15 ft
	CRA-120	20 ft
Unbalanced Interconnect	XLR3F to RCA	
	XRF-102	2 ft
	XRF-103	3 ft
	XRF-105	5 ft
	XRF-110	10 ft
	XRF-115	15 ft
	XRF-120	20 ft
Unbalanced Interconnect	RCA to XLR3M	
	XRM-102	2 ft
	XRM-103	3 ft
	XRM-105	5 ft
	XRM-110	10 ft
	XRM-115	15 ft
	XRM-120	20 ft

Description	Model	Length
Stereo Interconnect	Dual 1/4 in TRS to Same	
	CSS-201	1 m
	CSS-202	2 m
	CSS-203	3 m
	CSS-204	4 m
Stereo Interconnect	Dual 1/4 in TS to Same	
	CPP-201	1 m
	CPP-202	2 m
	CPP-203	3 m
	CPP-204	4 m
	CPP-206	6 m
Stereo Interconnect	Dual 1/4 in TS to Dual RCA	
	CPR-201	1 m
	CPR-202	2 m
	CPR-203	3 m
	CPR-204	4 m
	CPR-206	6 m
Stereo Interconnect	Dual RCA to Same	
	CRA-201	1 m
	CRA-202	2 m
	CRA-203	3 m
	CRA-204	4 m
	CRA-206	6 m
Stereo Interconnect	Dual RCA to Same	
	CRA-201 20	1 m
	CRA-202 20	2 m
	CRA-203 20	3 m
	CRA-204 20	4 m
Stereo Interconnect	Dual RCA to Same, Gold-plated Contacts	
	CRA-201AU	1 m
	CRA-202AU	2 m
	CRA-203AU	3 m
	CRA-204AU	4 m

Description	Model	Length
Stereo Interconnect	Dual RCA to Dual Right-angle RCA	
	CRA-201R	1 m
	CRA-202R	2 m
	CRA-203R	3 m
Stereo Interconnect	Dual Right-angle RCA to Same	
	CRA-201RR	1 m
	CRA-202RR	2 m
	CRA-203RR	3 m
Stereo Interconnect	Dual RCA to Dual Piggyback RCA	
	CRA-201PB	1 m
	CRA-202PB	2 m
	CRA-203PB	3 m
Stereo Interconnect	Dual RCA to Same with Ground Wire	
	CRA-201DJ	1 m
	CRA-202DJ	2 m
	CRA-203DJ	3 m

Description	Model	Length
Insert Cable	1/4 in TRS to Dual 1/4 in TS	
	STP-201	1 m
	STP-202	2 m
	STP-203	3 m
	STP-204	4 m
Insert Cable	Right-angle 1/4 in TRS to Dual Right-angle 1/4 in TS	
	STP-201RR	1 m
Insert Cable	1/4 in TRS to Dual RCA	
	TRS-201	1 m
	TRS-202	2 m
	TRS-203	3 m
	TRS-204	4 m
Insert Cable	1/4 in TRS to XLR3M and XLR3F	
	SRC-203	3 m
	SRC-204	4 m
Insert Direct-out Adaptor	Serviceable 1/4 in TRS to 1/4 in TSF	
	DOC-106	6 in

Description	Model	Length
Pro Balanced Snake	8-channel, Serviceable XLR3F to 1/4 in TRS, 24 AWG x 2 OFC	
	STX-803F-PRO	3 m
	STX-804F-PRO	4 m
Pro Balanced Snake	8-channel, Serviceable 1/4 in TRS to XLR3M, 24 AWG x 2 OFC	
	STX-803M-PRO	3 m
	STX-804M-PRO	4 m
Pro Balanced Snake	8-channel, Serviceable 1/4 in TRS to Same, 24 AWG x 2 OFC	
	CSS-801-PRO	1 m
	CSS-802-PRO	2 m
	CSS-803-PRO	3 m
Pro Unbalanced Snake	8-channel, Serviceable 1/4 in TS to Same, 24 AWG OFC	
	CPP-801-PRO	1 m
	CPP-802-PRO	2 m
	CPP-803-PRO	3 m
Pro Insert Snake	4-channel, Serviceable 1/4 in TRS to Dual 1/4 in TS, 24 AWG x 2 OFC	
	STP-803-PRO	3 m
	STP-804-PRO	4 m
Balanced Snake	8-channel, DB25 to Same	
	DBD-301.5	1.5 ft
	DBD-303	3 ft
	DBD-305	5 ft
	DBD-310	10 ft
	DBD-315	15 ft

Description	Model	Length
Balanced Snake	8-channel, XLR3F to DB25	
	DTF-803	3 m
	DTF-804	4 m
	DTF-805	5 m
	DTF-807	7 m
Balanced Snake	8-channel, DB25 to XLR3M	
	DTM-803	3 m
	DTM-804	4 m
	DTM-805	5 m
	DTM-807	7 m
Balanced Snake	8-channel, DB25 to 1/4 in TRS	
	DTP-802	2 m
	DTP-803	3 m
	DTP-804	4 m
	DTP-805	5 m
	DTP-807	7 m
Balanced Snake	8-channel, XLR3F to XLR3M	
	XLR-802	2 m
	XLR-803	3 m
	XLR-805	5 m
	XLR-807	7 m
Balanced Snake	8-channel, XLR3F to 1/4 in TRS	
	STX-802F	2 m
	STX-803F	3 m
	STX-804F	4 m
	STX-805F	5 m
	STX-807F	7 m

Description	Model	Length
Balanced Snake	8-channel, 1/4 in TRS to XLR3M	
	STX-802M	2 m
	STX-803M	3 m
	STX-804M	4 m
	STX-805M	5 m
	STX-807M	7 m
Balanced Snake	8-channel, 1/4 in TRS to Same	
	CSS-801	1 m
	CSS-802	2 m
	CSS-803	3 m
	CSS-804	4 m
	CSS-805	5 m
	CSS-807	7 m
Unbalanced Snake	8-channel, 1/4 in TS to Same	
	CPP-801	1 m
	CPP-802	2 m
	CPP-803	3 m
	CPP-804	4 m
	CPP-805	5 m
	CPP-807	7 m
Unbalanced Snake	8-channel, 1/4 in TS to RCA	
	CPR-802	2 m
	CPR-803	3 m
	CPR-804	4 m
	CPR-805	5 m
	CPR-807	7 m
Unbalanced Snake	8-channel, RCA to RCA	
	CRA-802	2 m
	CRA-803	3 m
	CRA-804	4 m
	CRA-805	5 m

Description	Model	Length
Insert Snake	4-channel, 1/4 in TRS to Dual 1/4 in TS	
	STP-802	2 m
	STP-803	3 m
	STP-804	4 m

Description	Model	Length
Pro-Conex Stage Box Snake 	Neutrik Locking 8 x XLR Sends and 4 x XLR Returns	
	SNX-8X4-25	25 ft
	SNX-8X4-50	50 ft
	Neutrik Locking 12 x XLR Sends and 4 x XLR Returns	
	SNX-12X4-25	25 ft
	SNX-12X4-50	50 ft
	SNX-12X4-100	100 ft
	SNX-12X4-150	150 ft
	Neutrik Locking 16 x XLR Sends and 4 x XLR Returns	
	SNX-16X4-25	25 ft
	SNX-16X4-50	50 ft
	SNX-16X4-100	100 ft
	SNX-16X4-150	150 ft
	Neutrik Locking 24 x XLR Sends and 4 x XLR Returns	
	SNX-24X4-25	25 ft
	SNX-24X4-50	50 ft
	SNX-24X4-100	100 ft
	SNX-24X4-150	150 ft
Pro-Conex Little Bro' Sub Snake	Hosa 6 x XLR Sends and 2 x 1/4 in TRS Returns	
	SH-6X2-20	20 ft
	SH-6X2-30	30 ft
	SH-6X2-50	50 ft
Pro-Conex Little Bro' Sub Snake	Hosa 8 x XLR Sends and No Returns	
	SH-8X0-25	25 ft
	SH-8X0-50	50 ft

Description	Model	Length
Pro-Conex Stage Box Snake	Hosa 8 x XLR Sends and 4 x 1/4 in TRS Returns	
	SH-8X4-25	25 ft
	SH-8X4-50	50 ft
	SH-8X4-100	100 ft
	Hosa 12 x XLR Sends and 4 x 1/4 in TRS Returns	
	SH-12X4-25	25 ft
	SH-12X4-50	50 ft
	SH-12X4-100	100 ft
	SH-12X4-150	150 ft
	Hosa 16 x XLR Sends and 4 x 1/4 in TRS Returns	
	SH-16X4-25	25 ft
	SH-16X4-50	50 ft
	SH-16X4-100	100 ft
	SH-16X4-150	150 ft
	Hosa 24 x XLR Sends and 4 x 1/4 in TRS Returns	
	SH-24X4-25	25 ft
	SH-24X4-50	50 ft
	SH-24X4-100	100 ft
	SH-24X4-150	150 ft
	Hosa 32 x XLR Sends and 4 x 1/4 in TRS Returns	
	SH-32X8-50	50 ft
	SH-32X8-100	100 ft
	SH-32X8-150	150 ft

ANALOG AUDIO

Description	Model	Length
Stereo Interconnect	3.5 mm TRS to Same	
	CMM-103	3 ft
	CMM-105	5 ft
	CMM-110	10 ft
	CMM-115	15 ft
Stereo Interconnect	3.5 mm TRS to Same, Coiled Cable	
	CMM-105C	5 ft
Stereo Interconnect	3.5 mm TRS to Right-angle 3.5 mm TRS	
	CMM-103R	3 ft
	CMM-105R	5 ft
	CMM-110R	10 ft
Stereo Interconnect	Right-angle 3.5 mm TRS to Same	
	CMM-100.8RR	8 in
	CMM-103RR	3 ft
	CMM-105RR	5 ft
	CMM-110RR	10 ft
Stereo Interconnect	3.5 mm TRS to 1/4 in TRS	
	CMS-103	3 ft
	CMS-105	5 ft
	CMS-110	10 ft
Mono Interconnect	3.5 mm TRS to 1/4 in TS	
	CMP-103	3 ft
	CMP-105	5 ft
	CMP-110	10 ft
Mono Interconnect	3.5 mm TS to 1/4 in TS	
	CMP-303	3 ft
	CMP-305	5 ft
	CMP-310	10 ft
Mono Interconnect	3.5 mm TS to Same	
	CMM-303	3 ft
	CMM-305	5 ft
	CMM-310	10 ft
Stereo Interconnect	2.5 mm TRS to Same	
	CMM-503	3 ft
	CMM-505	5 ft
	CMM-510	10 ft

Description	Model	Length
Microphone Cable	Neutrik XLR3F to XLR3M	
	MXX-001.5	1.5 ft
	MXX-015	15 ft
	MXX-025	25 ft
Microphone Cable	Neutrik Right-angle XLR3F to XLR3M	
	MXX-001.5RS	1.5 ft
	MXX-015RS	15 ft
	MXX-025RS	25 ft
Microphone Cable	Neutrik XLR3F to Right-angle XLR3M	
	MXX-001.5SR	1.5 ft
	MXX-015SR	15 ft
	MXX-025SR	25 ft
Microphone Cable	Neutrik XLR3F to Hosa 3.5 mm TRS	
	MXM-001.5	1.5 ft
	MXM-015	15 ft
	MXM-025	25 ft
Microphone Cable	Neutrik Right-angle XLR3F to Hosa 3.5 mm TRS	
	MXM-001.5RS	1.5 ft
	MXM-015RS	15 ft
	MXM-025RS	25 ft
Microphone Cable	Hosa 3.5 mm TRS to Neutrik XLR3M	
	MMX-001.5	1.5 ft
	MMX-015	15 ft
	MMX-025	25 ft
Microphone Cable	Hosa 3.5 mm TRS to Neutrik Right-angle XLR3M	
	MMX-001.5SR	1.5 ft
	MMX-015SR	15 ft
	MMX-025SR	25 ft

Microphone Cable

Model	Length
XLR3F to Right-angle 3.5 mm TRS	
XVM-101F	1 ft
XVM-102F	2 ft
XVM-105F	5 ft
XVM-110F	10 ft
XVM-115F	15 ft



This cable is designed to connect a microphone with an XLR output to a mini stereo phone input. It is ideal for connecting a pro mic to a DV camera or portable audio recorder.

Microphone Cable

Model	Length
Right-angle 3.5 mm TRS to XLR3M	
XVM-101M	1 ft
XVM-102M	2 ft
XVM-105M	5 ft
XVM-110M	10 ft
XVM-115M	15 ft



This cable is designed to connect a microphone with a mini stereo phone output to an XLR input. It is ideal for connecting a shotgun mic to a pro DV camera.

Microphone Cable

Model	Length
XLR3F to Right-angle 3.5 mm TS	
XVM-305F	5 ft



This cable is designed to connect a microphone with an XLR output to a mini mono phone input. It is ideal for connecting a pro mic to a DV camera, mini audio mixer, or portable audio recorder.

Microphone Cable

Model	Length
Right-angle 3.5 mm TS to XLR3M	
XVM-305M	5 ft



This cable is designed to connect an audio device with a mini mono phone output to an XLR input. It is ideal for connecting a wireless receiver to a mixing console or pro DV camera.

Microphone Cable

Model	Length
XLR3F to Right-angle 3.5 mm TRS	
XVS-101F	1 ft
XVS-102F	2 ft



This cable is designed to connect a stereo microphone with a single XLR output to a mini stereo phone input. It is ideal for connecting a shotgun mic to a DV camera.

Description	Model	Length
Camcorder	Dual XLR3F to Right-angle 3.5 mm TRS	
	CYX-401F	1 ft
	CYX-402F	2 ft
	CYX-405F	5 ft
Stereo Breakout	3.5 mm TRS to Dual XLR3M	
	CYX-402M	2 m
	CYX-403M	3 m
Stereo Breakout	3.5 mm TRS to Dual 1/4 in TS	
	CMP-153	3 ft
	CMP-159	10 ft
Stereo Breakout	3.5 mm TRS to Dual RCA	
	CMR-203	3 ft
	CMR-206	6 ft
	CMR-210	10 ft
	CMR-215	15 ft
	CMR-225	25 ft
Stereo Breakout	Right-angle 3.5 mm TRS to Dual RCA	
	CMR-203R	3 ft
	CMR-206R	6 ft
Stereo Breakout	3.5 mm TRSF to Dual RCA	
	CFR-210	10 ft
Stereo Breakout	1/4 in TRS to Dual 1/4 in TSF	
	YPP-117	
Stereo Breakout	1/4 in TRSF to Dual 1/4 in TS	
	YPP-136	
Stereo Breakout	1/4 in TRS to Dual RCAF	
	YPR-102	

Description	Model	Length
Stereo Breakout	1/4 in TRSF to Dual RCA	
	YPR-257	
Stereo Breakout	1/4 in TRS to Dual 3.5 mm TRSF	
	YPM-523	
Stereo Breakout	3.5 mm TRS to Dual 1/4 in TSF	
	YMP-137	
Stereo Breakout	3.5 mm TRSF to Dual 1/4 in TS	
	YMP-434	
Stereo Breakout	3.5 mm TRS to Dual RCAF	
	YRA-154	
Stereo Breakout	3.5 mm TRSF to Dual RCA	
	YMR-197	
Stereo Breakout	Right-angle 3.5 mm TRS to Dual RCAF	
	YRA-167	
Stereo Breakout	3.5 mm TRS to Dual 3.5 mm TSF	
	YMM-261	
Stereo Breakout	3.5 mm TRSF to Dual 3.5 mm TSF	
	YMM-379	

ANALOG AUDIO

Description	Model	Length
Y Cable	1/4 in TRS to Dual 1/4 in TRS	
	CYS-103	3 ft
	CYS-105	5 ft
Y Cable	1/4 in TS to Dual 1/4 in TS	
	CYP-103	3 ft
	CYP-105	5 ft
Y Cable	1/4 in TS to Dual RCA	
	CYR-101	1 m
	CYR-102	2 m
	CYR-103	3 m
Y Cable	RCA to Dual RCA	
	CYA-103	3 ft
	CYA-105	5 ft
	CYA-110	10 ft
Y Cable	Dual XLR3F to XLR3M	
	YXF-119	
	YXF-101.5	18 in
Y Cable	XLR3F to Dual XLR3M	
	YXM-121	
	YXM-101.5	18 in
Y Cable	1/4 in TRS to Dual 1/4 in TRSF	
	YPP-118	

Description	Model	Length
Y Cable	1/4 in TRSF to Dual 1/4 in TRS	
	YPP-308	
Y Cable	1/4 in TRSF to Dual 1/4 in TRSF	
	YPP-491	
Y Cable	1/4 in TRS to Dual 3.5 mm TRSF	
	YMP-234	
Y Cable	1/4 in TS to Dual 1/4 in TSF	
	YPP-111	
Y Cable	1/4 in TSF to Dual 1/4 in TS	
	YPP-106	
Y Cable	1/4 in TS to Dual RCAF	
	YPR-103	
Y Cable	1/4 in TSF to Dual RCA	
	YPR-131	

Description	Model	Length
Y Cable	1/4 in TS to Dual RCA	
	YPR-124	
Y Cable	1/4 in TSF to Dual RCAF	
	YRA-115	
Y Cable	RCA to Dual RCAF	
	YRA-104	
Y Cable	RCAF to Dual RCA	
	YRA-105	
Y Cable	3.5 mm TRS to Dual 1/4 in TRSF	
	YMP-233	
Y Cable	3.5 mm TRS to Dual 3.5 mm TRSF	
	YMM-232	

ANALOG AUDIO

Description	Model
Gender Changer	XLR3F to Same
	GXX-145
Adaptor	XLR3F to 1/4 in TRS
	GXP-143
Adaptor	XLR3F to RCA
	GXR-134
Gender Changer	XLR3M to Same
	GXX-144
Adaptor	XLR3M to 1/4 in TRS
	GXP-246
Adaptor	XLR3M to RCA
	GXR-135
Adaptor	1/4 in TRS to XLR3M
	GXJ-235
Adaptor	1/4 in TRS to XLR3F
	GXJ-183

Description	Model
Coupler	1/4 in TRS to Same
	GPP-105
Right-angle Adaptor	1/4 in TRS to Same
	GPP-273
Adaptor	1/4 in TRS to 1/4 in TS
	GPP-290
Adaptor	1/4 in TRS to 3.5 mm TRS
	GMP-112
Adaptor	Dual 1/4 in TRS to 1/4 in TRS
	GPP-359
Adaptor	1/4 in TS to 1/4 in TRS
	GPP-419
Right-angle Adaptor	1/4 in TS to Same
	GPP-151
Adaptor	1/4 in TS to RCA
	GPR-104

Description	Model	Details
Adaptor	1/4 in TS to 3.5 mm TS	
	GMP-113	
Adaptor	1/4 in TS to 3.5 mm TRS	
	GMP-386	
Couplers	RCA to RCA	
	GRA-101	2 pc
Adaptor	RCA to XLR3M	
	GXM-133	
Adaptor	RCA to XLR3F	
	GXF-132	
Adaptors	RCA to 1/4 in TS	
	GPR-101	2 pc
Right-angle	RCA to 1/4 in TS	
	GPR-123	2 pc
Right-angle	RCA to RCA	
	GRA-259	2 pc

Description	Model	Details
Adaptor	Dual RCA to RCA	
	GRF-398	
Adaptors	RCA to 3.5 mm TS	
	GRM-114	2 pc
Adaptor	Dual RCA to 1/4 in TRS	
	GPR-484	
Adaptor	Dual RCA to 3.5 mm TRS	
	GRM-193	
Coupler	3.5 mm TRS to Dual RCA	
	GRF-341	
Coupler	3.5 mm TRS to Same	
	GMM-303	
Adaptor	3.5 mm TRS to 1/4 in TRS	
	GPM-103	
Adaptor	3.5 mm TRS to 1/4 in TS	
	GPM-179	

Description	Model
Right-angle	3.5 mm TRS to 3.5 mm TRS
	GMP-272
Adaptor	3.5 mm TRS to 2.5 mm TRS
	GMP-471
Right-angle	3.5 mm TRS to 2.5 mm TRS
	GMP-467
Adaptor	2.5 mm TRS to 3.5 mm TRS
	GMP-500
Musician's Survival Kit	
	MSK-411

Description	Model	Length
Low-voltage	XLR3F to PHX3M	
	PHX-106F BULK	6 in
Low-voltage	PHX3M to XLR3M	
	PHX-106M BULK	6 in
Low-voltage Adaptor	XLR3F to PHX3F	
	PHX-206F BULK	6 in
Low-voltage Adaptor	PHX3F to XLR3M	
	PHX-206M BULK	6 in

The Hosa Musician's Survival Kit contains essential adaptors, connectors, Y cables, and accessories:

Microphone holder, 25 mm (MHR-225)
Stereo breakout, ¼ in TRS to ¼ in TSF (YPP-117)
Y cable, ¼ in TS to ¼ in TSF (YPP-111)
Adaptor, XLR3F to ¼ in TRS (GXP-143)
Adaptor, XLR3M to ¼ in TRS (GXP-246)
Coupler, ¼ in TRS to same (GPP-105)
Adaptor, ¼ in TRS to 3.5 mm TRS (GMP-112)
Adaptors, ¼ in TS to RCA, 2 pc (GPR-104)
Adaptors, RCA to ¼ in TS, 2 pc (GPR-101)
Adaptor, 3.5 mm TRS to ¼ in TRS (GPM-103)
Connector, ¼ in TS (PLG-025)
Connectors, dual banana (BNA-100)
Rack screws and washers, 12 pc (RMC-180)
Hook-and-loop organizers, 5 pc (WTI-148G)

Please see entries for individual models referenced above for full descriptions.

Description	Model	Length
Elite Microphone Cable	20 AWG x 2 OFC, 95% OFC Braid	
	CMK BULK	1000 ft
	24 AWG x 2 OFC, 95% OFC Braid	
	MMK BULK	1000 ft
Speaker Cable	12 AWG x 4 OFC	
	SKO-200	200 ft
	14 AWG x 4 OFC	
	SKO-400	300 ft
	12 AWG x 2 OFC	
	SKJ-200	500 ft
	14 AWG x 2 OFC	
	SKJ-400	500 ft
	16 AWG x 2 OFC	
	SKJ-600	500 ft
Speaker Cable	12 AWG x 2 OFC, Clear Zip	
	SKM-200	500 ft
	16 AWG x 2 OFC, Clear Zip	
	SKM-600	500 ft
Speaker Cable	16 AWG x 2 OFC, Black Zip	
	SKZ-600	500 ft
AES/EBU Cable	Belden 1800F 110-ohm Cable, Suitable for DMX512	
	AES BULK	1000 ft
	Hosa 110-ohm Cable, Suitable for DMX512	
	EBU BULK	500 ft
75-ohm Coax	Elite 75-ohm Coax, RG-6/U, 18 AWG OFC	
	VHD BULK	300 ft
	Pro 75-ohm Coax, RG-6/U, 18 AWG CCS	
	RG-6 BULK	300 ft

Contact your representative or call 714-522-8878 for connector options and pricing.

Description	Model
Neutrik Connector	XLR3F, Gold-plated Contacts, Black-chrome Housing
	NC3FXX-B
Neutrik Connector	XLR3F, Silver-plated Contacts, Nickel Housing
	NC3FXX
Neutrik Connector	Right-angle XLR3F, Gold-plated Contacts, Black-chrome Housing
	NC3FRX-B
Neutrik Connector	Right-angle XLR3F, Silver-plated Contacts, Nickel Housing
	NC3FRX
Neutrik Connector	XLR3F, D flange, Silver-plated Contacts, Nickel Housing
	NC3FD-L-1
Neutrik Connector	XLR3F, P flange, Silver-plated Contacts, Nickel Housing
	NC3FP-1
Neutrik Connector	XLR3M, Gold-plated Contacts, Black-chrome Housing
	NC3MXX-B

Description	Model
Neutrik Connector	XLR3M, Silver-plated Contacts, Nickel Housing
	NC3MXX
Neutrik Connector	Right-angle XLR3M, Gold-plated Contacts, Black-chrome Housing
	NC3MRX-B
Neutrik Connector	Right-angle XLR3M, Silver-plated Contacts, Nickel Housing
	NC3MRX
Neutrik Connector	XLR3M, D flange, Silver-plated Contacts, Nickel Housing
	NC3MD-L-1
Neutrik Connector	XLR3M, P flange, Silver-plated Contacts, Nickel Housing
	NC3MP
Neutrik Connector	TT TRS, Nickel-plated Contacts, Black-plastic Housing
	NP3TT-1-B
Neutrik Connector	1/4 in TRS, Gold-plated Contacts, Black-chrome Housing
	NP3X-B

Description	Model
Neutrik Connector	1/4 in TRS, Nickel-plated Contacts, Nickel Housing
	NP3X
Neutrik Connector	Right-angle 1/4 in TRS, Gold-plated Contacts, Black-chrome Housing
	NP3RX-B
Neutrik Connector	Right-angle 1/4 in TRS, Nickel-plated Contacts, Nickel Housing
	NP3RX
Neutrik Connector	1/4 in TRS Jack, Inline, Silver-plated Contacts, Nickel Housing
	NJ3FC6
Neutrik Connector	1/4 in TRS Jack, D flange, Silver-plated Contacts, Nickel Housing
	NJ3FP6C
Neutrik Connector	1/4 in TS, Gold-plated Contacts, Black-chrome Housing
	NP2X-B

Description	Model
Neutrik Connector	1/4 in TS, Nickel-plated Contacts, Nickel Housing
	NP2X
Neutrik Connector	Right-angle 1/4 in TS, Gold-plated Contacts, Black-chrome Housing
	NP2RX-B
Neutrik Connector	Right-angle 1/4 in TS, Nickel-plated Contacts, Nickel Housing
	NP2RX
Neutrik Connector	2-pole speakON
	NL2FC
Neutrik Connector	4-pole speakON
	NL4FX
Neutrik Connector	4-pole speakON, D flange
	NL4MP
Neutrik Connector	4-pole speakON, G flange
	NL4MPR

ANALOG AUDIO

Description	Model
Switchcraft	XLR3F, Silver-plated Contacts, Nickel Housing **AAA3FZ**
Switchcraft	XLR3M, Silver-plated Contacts, Nickel Housing **AAA3MZ**
Connector	XLR3F, Internal Strain Relief **XLF-035 BULK**
Connector	XLR3M, Internal Strain Relief **XLM-035 BULK**
Connector	XLR3F, Clamp Strain Relief **XLF-025**
Connector	XLR3M, Clamp Strain Relief **XLM-025**
Connector	Right-angle XLR3F, Clamp Strain Relief **XRR-318F**

Description	Model
Connector	Right-angle XLR3M, Clamp Strain Relief **XRR-318M**
Connector	XLR5F, Internal Strain Relief **XLF-501 BULK**
Connector	XLR5M, Internal Strain Relief **XLM-501 BULK**
Connector	1/4 in TRS **PLG-025S**
Connector	Right-angle 1/4 in TRS **PRG-370S**
Connector	1/4 in TS **PLG-025**
Connector	1/4 in TS, Wide Opening **PLG-025W**

Description	Model	Details
Connector	Jumbo 1/4 in TS	
	JMB-025	
Connector	Jumbo 1/4 in TS, Wide Opening	
	JMB-025W	
Connector	Right-angle 1/4 in TS	
	PRG-370	
Connector	Right-angle 1/4 in TS, Gold-plated	
	PRG-370AU	
Connector	1/4 in TS Jack	
	JCK-118 BULK	
Connector	RCA	
	RCA-025	2 pc
Connector	3.5 mm TRS	
	PLG-035 BULK	
Connector	Single Banana	
	BNA-050	2 pc

Description	Model	Details
Connector 	Dual Banana	
	BNA-100	2 pc
	BNA-100BK	Black
	BNA-100RD	Red
Connector 	Dual Banana	
	BNA-240	2 pc
	BNA-240BK	Black
	BNA-240RD	Red
Connector	Dual Banana, Black	
	BNA-260BK	Black
	BNA-260RD	Red
Connector	Phoenix 3-pole Female	
	PHX-100F BULK	
Connector	Phoenix 3-pole Female, Strain Relief	
	PHX-300F BULK	

Description	Model
Pro Wall Plate	Single-gang, Neutrik XLR3F **WXX-301F**
Pro Wall Plate	Single-gang, Neutrik XLR3M **WXX-301M**
Pro Wall Plate	Single-gang, Neutrik 4-pole speakON **WNN-301**
Pro Wall Plate	Single-gang, Neutrik 1/4 in TRS **WSS-301**
Pro Wall Plate	Single-gang, Dual Neutrik XLR3F **WXX-302F**
Pro Wall Plate	Single-gang, Dual Neutrik XLR3M **WXX-302M**

Description	Model
Pro Wall Plate	Single-gang, Neutrik XLR3F and XLR3M **WXX-302MF**
Pro Wall Plate	Single-gang, Dual Neutrik 4-pole speakON **WNN-302**
Pro Wall Plate	Single-gang, Dual Neutrik 1/4 in TRS **WSS-302**
Pro Wall Plate	Dual-gang, Dual Neutrik XLR3F **WXX-402F**
Pro Wall Plate	Dual-gang, Dual Neutrik XLR3F **WXX-402M**
Pro Wall Plate	Dual-gang, Dual Neutrik 4-pole speakON **WNN-402**

Description	Model
Pro Wall Plate	Dual-gang, Dual Neutrik 1/4 in TRS **WSS-402**
Pro Wall Plate	Dual-gang, Quad Neutrik XLR3F **WXX-404F**
Pro Wall Plate	Dual-gang, Quad Neutrik XLR3M **WXX-404M**
Pro Wall Plate	Dual-gang, Dual Neutrik XLR3F and XLR3M **WXX-404MF**
Pro Wall Plate	Dual-gang, Quad Neutrik 4-pole speakON **WNN-404**
Pro Wall Plate	Dual-gang, Quad Neutrik 1/4 in TRS **WSS-404**

Description	Model
Wall Plate	Single-gang, Hosa XLR3F **WXX-101F**
Wall Plate	Single-gang, Hosa XLR3M **WXX-101M**
Wall Plate	Single-gang, Hosa 1/4 in TRS **WSS-101**
Wall Plate	Single-gang, Hosa 1/4 in TS **WPP-101**
Wall Plate	Single-gang, Dual Hosa XLR3F **WXX-102F**
Wall Plate	Single-gang, Dual Hosa XLR3M **WXX-102M**

Description	Model
Wall Plate	Single-gang, Hosa XLR3F and XLR3M **WXX-102MF**
Wall Plate	Single-gang, Dual Hosa 1/4 in TRS **WSS-102**
Wall Plate	Single-gang, Dual Hosa 1/4 in TS **WPP-102**
Wall Plate	Dual-gang, Dual Hosa XLR3F **WXX-202F**
Wall Plate	Dual-gang, Dual Hosa XLR3M **WXX-202M**
Wall Plate	Dual-gang, Dual Hosa 1/4 in TRS **WSS-202**

Description	Model
Wall Plate	Dual-gang, Dual Hosa 1/4 in TS **WPP-202**
Wall Plate	Dual-gang, Quad Hosa XLR3F **WXX-204F**
Wall Plate	Dual-gang, Quad Hosa XLR3M **WXX-204M**
Wall Plate	Dual-gang, Dual Hosa XLR3F and XLR3M **WXX-204MF**
Wall Plate	Dual-gang, Quad 1/4 in TRS **WSS-204**
Wall Plate	Dual-gang, Quad 1/4 in TS **WPP-204**

Description	Model
Patch Bay	12-point, XLR3F to XLR3M, De-normalled
	PDR-369
	48-point, 1/4 in TRS to Same, Half-normalled
	PHB-350

The PHB-350 is preconfigured for half-normalled operation. Two pieces of gear that are connected to the rear-top and rear-bottom jacks of a channel are connected to each other. Plugging into the front-bottom jack of the same channel breaks the connection. It may be de-normalled for straight-through operation by simply reversing the internal channel modules.

Patch Bay Module	3-point, XLR3F to XLR3M, De-normalled
	MXL-369
	8-point, 1/4 in TRS to Same, Half-normalled
	MHB-350

Hosa's modular patch bays feature the same functionality as their full-sized equivalents in a convenient ¼ rack format. Use them as stand-alone units or mount them in the dedicated rack frame below (PPP-000).

Patch Bay Module Rack Frame	1 U
	PPP-000

19-inch Rack	12 U, Rolling Design
	RMT-152

19-inch Rack	11 U, Table-top Design
	RMT-254

Description	Model	Length
Rack Mounting Hardware	24 each screws and washers	
	RMC-180	

Balanced Patch Cables	1/4 in TRS to Same, 8 pc	
	CSS-830	1 ft
	CSS-845	1.5 ft
	CSS-890	3 ft

Balanced Patch Cables	TT TRS to Same, 8 pc	
	TTS-830	1 ft
	TTS-845	1.5 ft
	TTS-890	3 ft

Unbalanced Patch Cables	1/4 in TS to Same, 8 pc	
	CPP-830	1 ft
	CPP-845	1.5 ft
	CPP-890	3 ft

Unbalanced Patch Cables	RCA to RCA, 8 pc	
	CRA-830	1 ft
	CRA-845	1.5 ft

Audio Switcher	1/4 in TRS to 3 x 1/4 in TRS	
	SLW-333	

The Hosa SLW-333 Audio Switcher is ideal for switching between one source and three pairs of powered monitors or vice versa. It is intended for line-level signals only, not for speaker-level signals.

Description	Model	Length
Dynamic Stereo Headphones	Circumaural, Closed Design	
	HDC-800	

Features:

- *Efficient drivers for linear frequency response*
- *Extra-wide headband for superior comfort and isolation*
- *Closed design for potent bass response*
- *Collapsible, fold-flat design for convenient storage*
- *Gold-plated 3.5 mm stereo plug and 1/4 in adaptor*

Headphones	Supra-Aural, Closed Design	
	HDS-338	

Features:

- *Full frequency response for critical monitoring and serious listening*
- *Closed design for improved bass response and greater isolation*
- *Adjustable, padded headband and cushioned ear cups for a comfortable fit*
- *Gold-plated 3.5 mm stereo plug and 1/4 in adaptor*

Replacement Earpads for HDS-338	Leather-like, Vinyl-covered, Foam Pads	
	HDS-338EP	

Headphone Extension Cable	1/4 in TRS to 1/4 in TRS	
	HPE-310	10 ft
	HPE-325	25 ft

Headphone Extension Cable	Coiled Cable, 1/4 in TRS to 1/4 in TRS	
	HPE-325C	25 ft

Description	Model	Length
Headphone Adaptor	1/4 in TRS to Right-angle 3.5 mm	
	MHE-100.5	6 in

Headphone Adaptor Cable	3.5 mm TRS to 1/4 in TRS	
	MHE-310	10 ft
	MHE-325	25 ft

Headphone Extension Cable	3.5 mm TRS to 3.5 mm TRS	
	MHE-102	2 ft
	MHE-105	5 ft
	MHE-110	10 ft
	MHE-125	25 ft

Air Travel Headphone Adaptor	Dual 3.5 mm TS to 3.5 mm TRSF	
	YMM-492	

Description	Model	Length
JamHub Section Cable	24 AWG OFC, 90% OFC Braid	
	JHS-310	10 ft
JamHub Direct Guitar Cable	Hosa Straight to Same, 24 AWG OFC, 90% OFC Braid	
	GTR-215JH	15 ft
JamHub Cable Labels	7 Colors, Pantone-matched to JamHub Color Scheme	
	JHL-107	

Elite AES/EBU Cable

Model	Length
Neutrik XLR3F to XLR3M, Belden 1800F 110-ohm Cable	
AES-003AU	3 ft
AES-005AU	5 ft
AES-010AU	10 ft
AES-015AU	15 ft
AES-020AU	20 ft
AES-025AU	25 ft
AES-030AU	30 ft
AES-050AU	50 ft
AES-075AU	75 ft
AES-100AU	100 ft

AES/EBU Cable

Model	Length
Hosa XLR3F to XLR3M, Hosa 110-ohm Cable	
EBU-003	3 ft
EBU-005	5 ft
EBU-010	10 ft
EBU-015	15 ft
EBU-020	20 ft
EBU-025	25 ft
EBU-030	30 ft
EBU-050	50 ft
EBU-075	75 ft
EBU-100	100 ft
EBU-150	150 ft

AES/EBU Snake

Model	Length
DB25 to Same, Tascam Pinout	
AES-303T	3 ft
AES-305T	5 ft
AES-310T	10 ft
AES-315T	15 ft

Compatible with Digidesign and Tascam

AES/EBU Snake

Model	Length
DB25 to Same, Yamaha Pinout	
AES-315Y	15 ft

Compatible with Apogee, Mackie, TC Electronic, and Yamaha

AES/EBU Snake

Model	Length
DB25 to 4 x XLR3M and 4 x XLR3F, Tascam Pinout	
AES-805T	5 m
AES-805Y	5 m

AES-805T Compatible with Digidesign and Tascam

AES-805Y Compatible with Apogee, Mackie, TC Electronic, and Yamaha

Description	Model	Length
Pro Fiber Optic Cable	Toslink to Same	
	OPM-303	3 ft
	OPM-305	5 ft
	OPM-310	10 ft
	OPM-315	15 ft
	OPM-320	20 ft
	OPM-330	30 ft
	OPM-350	50 ft
Fiber Optic Cable	Toslink to Same	
	OPT-102	2 ft
	OPT-103	3 ft
	OPT-106	6 ft
	OPT-110	10 ft
	OPT-113	13 ft
	OPT-117	17 ft
	OPT-130	30 ft
	OPT-150	50 ft
Fiber Optic Cable	Toslink to Mini-Toslink	
	OPQ-210	10 ft
	OPQ-215	15 ft
Fiber Optic Adaptor	Toslink to Mini-Toslink	
	GOP-490	
S/PDIF Coax	RCA to RCA, 75-ohm Coax	
	DRA-501	1 m
	DRA-502	2 m
	DRA-503	3 m
	DRA-504	4 m
	DRA-506	6 m

Description	Model
Digital Audio Interface	S/PDIF Optical to AES/EBU
	ODL-312

Hosa's ODL-312 allows simultaneous transfer between S/PDIF optical and AES/EBU digital audio formats. It is ideal for interconnecting digital audio workstations, recorders, and other digital audio gear regardless of I/O format. Features include:

- *Two channels S/PDIF optical to AES/EBU and vice versa*
- *Simultaneous conversion in both directions if required*
- *Support for 24-bit/96 kHz S/PDIF audio*
- *AC adaptor included*

Description	Model
Digital Audio Interface	S/PDIF Coax to AES/EBU
	CDL-313

Hosa's CDL-313 allows simultaneous transfer between S/PDIF coax and AES/EBU digital audio formats. It is ideal for interconnecting digital audio workstations, recorders, and other digital audio gear regardless of I/O format. Features include:

- *Two channels S/PDIF coax to AES/EBU and vice versa*
- *Simultaneous conversion in both directions if required*
- *Support for 24-bit/96 kHz S/PDIF audio*
- *AC adaptor included*

Description	Model
Digital Audio Interface 	S/PDIF Coax to S/PDIF Optical
	ODL-276A

Hosa's ODL-276A allows simultaneous transfer between S/PDIF coax and S/PDIF optical digital audio formats. It is ideal for interconnecting digital audio workstations, recorders, and other digital audio gear regardless of I/O format. Features include:

- *Two channels S/PDIF coax to S/PDIF optical and vice versa*
- *Simultaneous conversion in both directions if required*
- *Support for 24-bit/96 kHz S/PDIF audio*
- *AC adaptor included*

ANALOG VIDEO

Description	Model	Length
VGA Cable	DE15 to Same	
	VGA-301.5	1.5 ft
	VGA-303	3 ft
	VGA-306	6 ft
	VGA-310	10 ft
	VGA-315	15 ft
	VGA-325	25 ft
	VGA-335	35 ft
	VGA-350	50 ft
	VGA-375	75 ft
	VGA-3100	100 ft
VGA Cable	DE15 to Same, Ferrite Bead	
	VGA-306FE	6 ft
	VGA-310FE	10 ft
	VGA-315FE	15 ft
	VGA-325FE	25 ft
	VGA-335FE	35 ft
	VGA-350FE	50 ft
	VGA-375FE	75 ft
	VGA-3100FE	100 ft
VGA AV Cable	DE15 to Same, Integrated 3.5 mm to Same Audio Interconnect	
	VGM-305	5 ft
	VGM-310	10 ft
	VGM-325	25 ft
	VGM-350	50 ft
VGA AV Cable	DE15 to Same, Integrated 3.5 mm to Dual RCA Audio Interconnect	
	VGR-305	5 ft
	VGR-310	10 ft
	VGR-325	25 ft
VGA Breakout	DE15 to BNC	
	RGB-500.7	7 in
	RGB-501.5	1.5 ft
	RGB-503	3 ft
	RGB-506	6 ft
	RGB-510	10 ft
	RGB-515	15 ft
	RGB-520	20 ft
VGA Breakout	DE15 to BNC, Ferrite Bead	
	RGB-506FE	6 ft
	RGB-510FE	10 ft
	RGB-515FE	15 ft
	RGB-520FE	20 ft

Description	Model	Length
VGA Breakout	DE15 to BNCF	
	VGF-300.7	7 in
	VGF-301.5	1.5 ft
	VGF-303	3 ft
	VGF-306	6 ft
RGBHV Cable	5 x BNC to Same, Ferrite Bead	
	BNC-506FE	6 ft
	BNC-510FE	10 ft
	BNC-515FE	15 ft
VGA Extension Cable	DE15 to DE15	
	VGA-306MF	6 ft
	VGA-310MF	10 ft
	VGA-315MF	15 ft
	VGA-325MF	25 ft
	VGA-350MF	50 ft
	VGA-375MF	75 ft
	VGA-3100MF	100 ft
VGA Y Cable	DE15 to Dual DE15F	
	YVG-449	
VGA Coupler	DE15 to Same	
	GGC-451	
VGA Adaptor	DE15 to DVI-I	
	NDV-431	
Component Video	Triple RCA to Same, 75-ohm Triplex	
	VCC-300.5	0.5 m
	VCC-301	1 m
	VCC-302	2 m
	VCC-303	3 m
	VCC-304	4 m
Component	Triple RCA to Same, 75-ohm Triplex, Gold-plated Contacts	
	VCC-302AU	2 m
	VCC-303AU	3 m
	VCC-304AU	4 m
	VCC-315AU	15 m
	VCC-330AU	30 m

Description	Model	Length
S-Video Cable	S-Video to Same, Gold-plated Pins	
	SVC-105AU	5 ft
	SVC-110AU	10 ft
	SVC-115AU	15 ft
	SVC-125AU	25 ft
	SVC-150AU	50 ft
	SVC-1100AU	100 ft
S-Video AV Cable	S-Video to Same, Integrated Dual RCA to Same Audio	
	VSR-302	2 m
	VSR-303	3 m
	VSR-304	4 m
S-Video Breakout	S-Video to Dual BNC	
	VSB-346	6 ft
S-Video Breakout	S-Video to Dual BNCF	
	VSB-455	10 in
S-Video Breakout	S-Video to Dual RCA	
	VSA-356	6 ft
S-Video Breakout	S-video to Dual RCAF	
	VSF-454	10 in
S-Video Y Cable	S-Video to Dual S-Video Female	
	VSS-453	10 in

Description	Model	Details
S-Video Coupler	S-Video to Same	
	NSV-316	
S-Video Adaptor	S-Video to Composite Video (RCA)	
	NSR-380	
S-Video Adaptor	Composite Video (RCA) to S-Video	
	NSR-381	
S-Video Adaptor	Composite Video (RCA) to S-Video	
	SVR-487	
S-Video	Solder Termination, 2 pc	
	NSV-252	2 pc

Description	Model	Length
Composite AV Cable	RCA to RCA, 75-ohm Coax, Integrated Dual RCA to Same Audio Cable	
	VRA-300.5	0.5 m
	VRA-301	1 m
	VRA-302	2 m
	VRA-303	3 m
	VRA-304	4 m
	VRA-305	5 m
	VRA-308	8 m
	VRA-315	15 m
	VRA-330	30 m
Camcorder AV Breakout Cable	3.5 mm TRRS to Composite Video and Stereo Audio, Not for iPod	
	C3M-103	3 ft
	C3M-105	5 ft
	C3M-110	10 ft

Description	Model	Length
Elite 75-ohm Coax	BNC to BNC, RG-6/U, 18 AWG OFC	
	VBB-06-003	3 ft
	VBB-06-006	6 ft
	VBB-06-010	10 ft
	VBB-06-015	15 ft
	VBB-06-025	25 ft
	VBB-06-050	50 ft
	VBB-06-100	100 ft
Pro 75-ohm Coax	BNC to BNC, RG-6/U, 18 AWG CCS	
	BNC-06-003	3 ft
	BNC-06-006	6 ft
	BNC-06-010	10 ft
	BNC-06-015	15 ft
	BNC-06-025	25 ft
	BNC-06-050	50 ft
	BNC-06-100	100 ft
	BNC-59-103	3 ft
	BNC-59-106	6 ft
	BNC-59-110	10 ft
	BNC-59-115	15 ft
	BNC-59-125	25 ft
	BNC-59-150	50 ft
	BNC-59-1100	100 ft
75-ohm Coax	BNC to RCA, RG-59/U	
	BNR-103	3 ft
	BNR-106	6 ft
	BNR-110	10 ft
	BNR-125	25 ft
75-ohm Coax	F to F, RG-59/U	
	VDF-103	3 ft
	VDF-105	5 ft
	VDF-110	10 ft
	VDF-115	15 ft
	VDF-120	20 ft
75-ohm Coupler	BNCF to Dual BNCF	
	NTF-102	
75-ohm Adaptor	BNC to Dual BNCF	
	NTM-101	

Description	Model	Details
75-ohm Coupler	BNC to BNC	
	NBN-302	
75-ohm Adaptor	BNC to RCA	
	NBR-271	
75-ohm Coupler	BNC to RCA	
	NBR-321	
75-ohm Adaptor	RCA to BNC	
	NBR-253	
75-ohm Adaptor	RCA to F	
	NRF-292	
75-ohm Couplers	F to F	
	NFF-339	2 pc
75-ohm Adaptor	F to BNC	
	NBF-354	
75-ohm Adaptor	F to RCA	
	NRF-264	
75-ohm Coupler	RCA to F	
	NRF-355	
50-ohm Connector	BNC, Crimp Termination	
	NBN-258	2 pc

Description	Model	Length
High Speed HDMI Cable	HDMI to HDMI, Bandwidth 340 MHz (10.2 Gbps)	
	HDMI-301.5	1.5 ft
	HDMI-303	3 ft
	HDMI-306	6 ft
	HDMI-310	10 ft
	HDMI-315	15 ft
	HDMI-325	25 ft
	HDMI-350	50 ft
High Speed HDMI Cable	HDMI to Mini HDMI, Bandwidth 340 MHz (10.2 Gbps)	
	HDMC-303	3 ft
	HDMC-306	6 ft
	HDMC-310	10 ft
Standard HDMI Cable	HDMI to DVI-D, Bandwidth 165 MHz (4.95 Gbps)	
	HDMD-303	3 ft
	HDMD-306	6 ft
	HDMD-310	10 ft
	HDMD-315	15 ft
	HDMD-325	25 ft
	HDMD-350	50 ft
HDMI Adaptor	HDMI to Mini HDMI, Gold-plated Contacts	
	NHD-518	
HDMI Adaptor	HDMI to DVI-D	
	NDH-445	
HDMI Adaptor	DVI-D to HDMI	
	NDH-444	

Description	Model	Length
Pro MIDI Cable	Serviceable 5-pin DIN to Same	
	MID-503	3 ft
	MID-505	5 ft
	MID-510	10 ft
	MID-515	15 ft
	MID-520	20 ft
	MID-525	25 ft
MIDI Cable	5-pin DIN to Same, Black	
	MID-301BK	1 ft
	MID-303BK	3 ft
	MID-305BK	5 ft
	MID-310BK	10 ft
	MID-315BK	15 ft
	MID-320BK	20 ft
	MID-325BK	25 ft
MIDI Cable	5-pin DIN to Same, Red	
	MID-301RD	1 ft
	MID-303RD	3 ft
	MID-305RD	5 ft
	MID-310RD	10 ft
	MID-315RD	15 ft
	MID-320RD	20 ft
	MID-325RD	25 ft
MIDI Cable	5-pin DIN to Same, Blue	
	MID-301BU	1 ft
	MID-303BU	3 ft
	MID-305BU	5 ft
	MID-310BU	10 ft
	MID-315BU	15 ft
	MID-320BU	20 ft
	MID-325BU	25 ft
Right-angle MIDI Cable	Right-angle 5-pin DIN to Same	
	MID-303RR	3 ft
	MID-305RR	5 ft
	MID-310RR	10 ft
	MID-315RR	15 ft

Description	Model	Length
Dual MIDI Cable	Dual 5-pin DIN to Same	
	MID-201	1 m
	MID-202	2 m
	MID-203	3 m
	MID-204	4 m
Tracklink MIDI to USB Interface	MIDI I/O to USB Type A	
	USM-422	6 ft

The fun and easy way to connect your MIDI device to your computer

- *Plug and play—no driver required*
- *Supports up to 16 MIDI channels*
- *Compatible with most Mac and Windows audio software*

Please visit www.hosatech.com for features and specifications

Description	Model	Length
MIDI to Sound Card Interface	MIDI Female I/O to DA15, DA15 Throughput	
	SBC-195	
Midi Coupler	5-pin DIN to Same	
	GMD-108	

Description	Model	Length
Synthesizer Controller	8-pin Mini-DIN to DE9	
	DBK-103	3 ft
	DBK-110	10 ft
	Compatible with Korg, Roland, and Yamaha electronic keyboards	
CD Controller Cable	Right-angle 8-pin Mini-DIN to Same	
	CCD-103	3 ft
	CCD-110	10 ft
	Compatible with most DJ CD players	
Phantom MIDI Cable	Right-angle 7-pin DIN to 7-pin DIN	
	ADA-725	25 ft
	Compatible with Bose L1 Model I	
TDIF Dubbing Cable	DB25 to Same	
	DBK-303	3 ft
	DBK-315	15 ft
	Compatible with Tascam DA-88 and TDIF devices	
Coupler	DE9 to DE9	
	GGC-301	
FireWire Adaptor Cable	4-pin and Dual USB to 6-pin	
	FW-64U2	1 m
	This cable is designed to connect a laptop with a 4-pin FireWire 400 interface to a peripheral with a 6-pin FireWire 400 interface. USB connectivity on the laptop side delivers bus power to the peripheral if required.	
FireWire 400 Adaptor	6-pin to 4-pin	
	GFW-517	

Description	Model	Length
FireWire 400 Cable	6-pin to Same	
	FIW-66-101.5	1.5 ft
	FIW-66-103	3 ft
	FIW-66-106	6 ft
	FIW-66-110	10 ft
	FIW-66-115	15 ft
	Conforms to IEEE 1394a serial bus interface standard	
FireWire 400 Cable	4-pin to 6-pin	
	FIW-46-101.5	1.5 ft
	FIW-46-103	3 ft
	FIW-46-106	6 ft
	FIW-46-110	10 ft
	FIW-46-115	15 ft
	Conforms to IEEE 1394a serial bus interface standard	
FireWire 400 Cable	4-pin to Same	
	FIW-44-103	3 ft
	FIW-44-106	6 ft
	FIW-44-110	10 ft
	FIW-44-115	15 ft
	Conforms to IEEE 1394a serial bus interface standard	
FireWire 800 Cable	9-pin to Same	
	FIW-99-106	6 ft
	FIW-99-110	10 ft
	FIW-99-115	15 ft
	Conforms to IEEE 1394b serial bus interface standard	
FireWire 800 Cable	6-pin to 9-pin	
	FIW-96-106	6 ft
	FIW-96-110	10 ft
	FIW-96-115	15 ft
	Conforms to IEEE 1394b serial bus interface standard	
FireWire 800 Cable	4-pin to 9-pin	
	FIW-94-106	6 ft
	FIW-94-110	10 ft
	FIW-94-115	15 ft
	Conforms to IEEE 1394b serial bus interface standard	

Description	Model	Length
High Speed USB Cable	Type A to Type B	
	USB-200.5AB	0.5 ft
	USB-203AB	3 ft
	USB-205AB	5 ft
	USB-210AB	10 ft
	USB-215AB	15 ft
Conforms to USB 2.0 serial bus interface standard		
High Speed USB Cable	Type A to Mini B	
	USB-203AM	3 ft
	USB-206AM	6 ft
Conforms to USB 2.0 serial bus interface standard		
High Speed USB Extension Cable	Type A to Type A	
	USB-205AF	5 ft
	USB-210AF	10 ft
Conforms to USB 2.0 serial bus interface standard		
USB Adaptor	Type B to Mini B	
	GSB-509	

Description	Model	Length
Cat 5e Cable	8P8C to Same, UTP, Black	
	CAT-503BK	3 ft
	CAT-505BK	5 ft
	CAT-510BK	10 ft
Performance up to 350 MHz		
Cat 5e Cable	8P8C to Same, UTP, Blue	
	CAT-501BU	1 ft
	CAT-503BU	3 ft
	CAT-505BU	5 ft
	CAT-510BU	10 ft
	CAT-525BU	25 ft
	CAT-550BU	50 ft
	CAT-5100BU	100 ft
	CAT-5150BU	150 ft
Performance up to 350 MHz		
50-ohm Coax	BNC to BNC, RG-58/U	
	BNC-58-101	1 ft
	BNC-58-101.5	1.5 ft
	BNC-58-103	3 ft
	BNC-58-106	6 ft
	BNC-58-110	10 ft
	BNC-58-115	15 ft
	BNC-58-125	25 ft
	BNC-58-150	50 ft
	BNC-58-1100	100 ft

DATA

Description	Model	Length
DMX512 Cable	XLR5M to XLR5F, 110-ohm Cable	
	DMX-503	3 ft
	DMX-505	5 ft
	DMX-510	10 ft
	DMX-520	20 ft
	DMX-525	25 ft
	DMX-530	30 ft
	DMX-550	50 ft
	DMX-5100	100 ft
See EBU-100 for 3-pin XLR terminations		
DMX512 Terminator	XLR5M, 120-ohm Resistor	
	DMT-485	
DMX512 Terminator	XLR3M, 120-ohm Resistor	
	DMT-414	
DMX512 Adaptor	XLR5M to XLR3F, 110-ohm Cable	
	DMX-106	6 in
DMX512 Adaptor	XLR3M to XLR5F, 110-ohm Cable	
	DMX-306	6 in

Description	Model	Length
Hook and Loop Organizer	Black, 0.75 in x 8 in	
	WTI-148	5 pc
	WTI-148 100	100 pc
Hook and Loop Organizer	Black, Center-pass Gap, 0.75 in	
	WTI-148G	5 pc 8 in
	WTI-148G 20	20 pc 8 in
	WTI-148G 100	100 pc 8 in
	WTI-156G	5 pc 12 in
	WTI-156G 20	20 pc 12 in
	WTI-157G	5 pc 18 in
Astro-Grip	Hook and Loop Organizer, Black, 0.75 in x 5 yd	
	WTI-501	
	WTI-501 BULK	
Cable Tie	White Plastic	
	WTI-172	20 pc 8 in
	WTI-173	20 pc 10 in
	Black Plastic	
	WTI-294	10 pc 8 in
Split-loom Cable Organizer	Black Plastic, 1 in x 10 ft	
	WHD-410	
Label-A-Cable Cable Labels	White Vinyl	
	LBL-466	60 pc
Scribble Strip Console	White, 0.75 in x 60 yd	
	LBL-505	

Hosa's Scribble Strip console tape makes it easy to keep track of a mixer's input assignments—so you can focus on the mix. A snap to apply and just as easy to remove, no mix engineer should be without a roll.

Gaffer Tape	60 yd, Choose Black, Yellow, or White	
	GFT-447BK	Width 2 in
	GFT-447WH	Width 2 in
	GFT-447YE	Width 2 in

**BK denotes black*
**WH denotes white*
**YE denotes yellow*

ACCESSORIES

Description	Model
Universal Power Adaptor	Selectable up to 12 VDC 1200 mA ACD-477

This adaptor is designed to supply power where and when you need it. With selectable DC output up to 12 V and plugs to fit most small electronic devices, it replaces a box full of batteries and wall warts. Features include:

- *Auto-detection of AC input from 100 to 240 V for global use*
- *Selectable DC output for 3, 4.5, 6, 7.5, 9, or 12 V operation*
- *Six interchangeable plugs to fit most small electronic devices*

Please visit www.hosatech.com for operating instructions and precautions

Daisy Chain Extension	PDC-373

This cable is designed to extend direct current from a power adaptor with a 2.1 mm DC plug to up to four guitar pedal effects with 2.1 mm DC jacks. It is ideal for use with the Hosa ACD-477 Universal Power Adaptor.

Procell Procell AA Battery	Alkaline, 24 pc PRO-AA4

Order packs of 4 in multiples of 6 (24 batteries)

Procell Procell AAA Battery	Alkaline, 24 pc PRO-AAA4

Order packs of 4 in multiples of 6 (24 batteries)

Procell Procell 9 V Battery	Alkaline, 12 pc PRO-9V12

Order singles in multiples of 12

Description	Model	Length
Power Cord	IEC C13 to NEMA 5-15P, 14 AWG x 3 OFC, Black Jacket	
	PWC-401.5	1.5 ft
	PWC-403	3 ft
	PWC-408	8 ft
	PWC-415	15 ft
	PWC-425	25 ft
	PWC-450	50 ft
Power Cord	Piggyback IEC C13 to NEMA 5-15P, 14 AWG x 3 OFC, Black	
	PWD-401	1 ft
	PWD-402	2 ft
Power Cord	IEC C13 to NEMA 5-15P, 18 AWG x 3 OFC, Black Jacket	
	PWC-140.5	0.5 ft
	PWC-141	1 ft
	PWC-141.5	1.5 ft
	PWC-143	3 ft
	PWC-148	8 ft
Power Cord	Right-angle IEC C13 to NEMA 5-15P, 18 AWG x 3 OFC, Black	
	PWC-141.5R	1.5 ft
	PWC-141R	1 ft
	PWC-143R	3 ft
	PWC-148R	8 ft
Power Y Cable	Dual IEC C13 to NEMA 5-15P, 18 AWG x 3 OFC, Black Jacket	
	YIE-406	1.5 ft
Power Adaptor	IEC C13 to NEMA 5-15P	
	PWA-421	
Power Cord	IEC C5 to NEMA 5-15P, 18 AWG x 3 OFC, Black Jacket	
	PWP-483	8 ft

Description	Model	Length
Power Cord	IEC C7 to NEMA 1-15P, 18 AWG x 2 OFC, Black Zip	
	PWP-426	8 ft
Power Cord	IEC C7 polarized to NEMA 1-15P, 18 AWG x 2 OFC, Black	
	PWP-461	8 ft
Power Cord	IEC C9 to NEMA 1-15P, 18 AWG x 2 OFC, Black Jacket	
	PWC-178	8 ft
Power Extension Cord	NEMA 5-15R to NEMA 5-15P, 14 AWG x 3 OFC, Black Jacket	
	PWX-401.5	1.5 ft
	PWX-403	3 ft
	PWX-408	8 ft
	PWX-415	15 ft
	PWX-425	25 ft
	PWX-450	50 ft
	PWX-4100	100 ft
Power Extension Y Cable	Dual NEMA 5-15R to NEMA 5-15P, 14 AWG x 3 OFC, Black	
	YAC-406	15 ft
Power Extension Y Cable	Dual NEMA 5-15R to NEMA 5-15P, 18 AWG x 3 OFC, Black	
	YAC-407	15 ft
Right-angle Power Adaptor	NEMA 5-15R to NEMA 5-15P	
	PWA-486	

Description	Model
Guitar Polish	Water-based, 4 fl oz GLP-104 *Goby Labs Guitar Polish is formulated to lift dust, fingerprints, and other contaminants from the finish of your guitar. This water-based polish will keep new instruments looking new and vintage instruments looking their best.*
Fingerboard Conditioner	Orange-powered, 4 fl oz GLC-104 *Goby Labs Fingerboard Conditioner is formulated to restore the natural beauty of your porous-wood fingerboard. Orange oil lifts finger grime from frets and fingerboard alike, making your guitar play as fast as the day you bought it.*
Microphone Sanitizer	Anti-bacterial, 4 fl oz GLS-104 *Goby Labs Microphone Sanitizer is formulated to clean and disinfect microphones. This easy-to-use spray kills 99.99% of germs that cause odors on microphones and gear—even hands and skin! It is ideal for live sound and karaoke.*
Case Freshener	Anti-microbial, 4 fl oz GLF-104 *Goby Labs Case Freshener is formulated to eliminate odors from guitar cases and other upholstered surfaces. This all-natural freshener kills 99.99% of the germs that cause odors in fabric. Your case will smell better than new!*
Microfiber Cloth	Optical-quality Microfiber, 144 sq in GLM-112 *Polish your guitar in style with a Goby Labs Microfiber Polish Cloth. Made from the highest, optical-quality microfiber, this ultra-fine cloth delivers an unmatched shine on all guitar finishes, including nitrocellulose lacquer.*
Screen Cleaner	Ammonia Free, Includes Microfiber Cloth, 2 oz GSC-102 *Goby Labs Screen Cleaner is formulated to lift dust, fingerprints, and other contaminants from computer monitors, television screens, and other displays. It is a must-have cleaning solution for all computer-based recording studios.*

Description	Model	Details
DeoxIT Contact Cleaner	Choose 5% Spray, 100% Spray, or 100% Wipes	
	D5S-6	5% Spray
	D100S-2	100% Spray
	D50W	100% Wipes
	DeoxIT is a fast-acting deoxidizing solution designed for use as a general treatment for connectors, contacts, and other metal surfaces. More than a contact cleaner, DeoxIT chemically improves electrical connections.	
DeoxIT GOLD Contact Enhancer	Choose 5% Spray or 100% Wipes	
	G5S-6	5% Spray
	G50W	100% Wipes
	DeoxIT GOLD (formerly ProGold) is a unique conditioning solution designed for use in critical applications where only slight cleaning action is necessary. It is intended for use on new and recently cleaned surfaces only.	
DeoxIT SHIELD Contact Protector	Choose 5% Spray or 100% Wipes	
	S5S-6	5% Spray
	S50W	100% Wipes
	DeoxIT SHIELD (formerly PreservIT) provides maximum protection for new and recently cleaned surfaces. It is ideal for use in regions with high degrees of pollution, including humidity, salts, sulfur, and acids.	
DeoxIT FaderLube	Choose 5% Spray or 100% Dropper	
	F5S-H6	5% Spray
	F100L-L25C	100% Dropper
	DeoxIT FaderLube (formerly CaiLube) is a precision lubricant designed for use on conductive plastic and carbon compound controls. It is also ideal for use on conductive membrane switches and components.	
Gear Duster Compressed Air	Residue-, Static-, and CFC-free	
	AIR-464	10 oz

Description	Model
Audio Cable Tester	CBT-375
	Hosa's CBT-375 tests audio cables terminated with any combination of XLR, ¼ in TRS, ¼ in TS, RCA, 3.5 mm TRS, Speakon, or banana connectors for continuity with the press of a single button.
Hum Eliminator for Audio	Dual 1/4 in TS to Dual 1/4 in TRS
	HEM-331
	Hosa's HEM-331 two-channel hum eliminator is designed to eliminate hums and buzzes by converting unbalanced lines to balanced lines. It utilizes passive transformer circuitry, eliminating the need for a battery. Each channel features a ground lift switch for troubleshooting interference associated with ground loops.
Hum Eliminator for PC	Dual RCA to Dual XLR3M
	HEM-462
	Hosa's HEM-462 two-channel hum eliminator is designed to eliminate hums and buzzes by converting unbalanced lines to balanced lines. It utilizes passive transformer circuitry, eliminating the need for a battery. Features include: • *Ground lift switch for troubleshooting ground loops* • *Stereo/mono switch for summing stereo to mono* • *Pad in/out switch (see instructions for effect)*

Description	Model	Length
LED Console Lamp	BNC, Requires 12 VDC, Choose 15 or 18 in	
	LTE-503BNC	15 in
	LTE-519BNC	18 in
	XLR3M, Requires 12 VDC, Choose 15 or 18 in	
	LTE-503XLR	15 in
	LTE-519XLR	18 in
	Right-angle XLR4M, Requires 12 VDC, Choose 15 or 18 in	
	LTE-503XLR4	15 in
	LTE-519XLR4	18 in
Incandescent Console	BNC, Requires 12 VDC, Choose 15 or 18 in	
	LTE-238	15 in
	LTE-311	18 in
	XLR3M, Requires 12 VDC, Choose 15 or 18 in	
	LTE-297A	15 in
	LTE-322A	18 in
	XLR4M, Requires 12 VDC, Choose 15 or 18 in	
	LTE-297XLR4	15 in
	LTE-322XLR4	18 in
Console Lamp Replacement	Incandescent, 5 W, Choose Incandescent (Good) or Halogen (Better)	
	BLB-242	Incandescent
	BLB-242H	Halogen

Limited Lifetime Warranty

All Hosa cables and adaptors purchased in the USA are warranted by Hosa Technology, Inc. to be free of defects in material and workmanship for the lifetime of the original purchaser.

All other Hosa products, including but not limited to headphones, hard-wired stage boxes, patch bays, footswitches, equipment racks, microphone stands, console lamps, and electronic components, are warranted to be free of defects in material and workmanship for one year from date of purchase.

In the event of such defects, Hosa will repair or, at our option, replace the warranted product if delivered to Hosa, prepaid, together with the sales receipt or other dated proof of purchase. This warranty excludes defects due to normal wear, abuse, shipping damage, or failure to use the product in accordance with the instructions.

HOSA TECHNOLOGY, INC. SHALL NOT BE LIABLE FOR DAMAGES BASED UPON INCONVENIENCE, LOSS OF USE OF THE PRODUCT, LOSS OF TIME, INTERRUPTED OPERATION OR COMMERCIAL LOSS, OR ANY OTHER DAMAGES, WHETHER INCIDENTAL, CONSEQUENTIAL OR OTHERWISE. This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

INDEX

Alpha Numeric Index

	Page
3GT Series Cloth Guitar Cable	8
75-ohm Adaptors	53
75-ohm Coax	53
A	
AAA3FZ Switchcraft Connector	40
AAA3MZ Switchcraft Connector	40
ACA-281 Power Adaptor for Active DI Box	9
ACD-477 Universal Power Adaptor	62
ADA-725 Phantom MIDI Cable	56
Adaptors	18,34-36
AES Bulk Belden AES/EBU Cable	37
AES/EBU Cables	37,38
AES/EBU Snakes	48
AES-000 Series Elite AES/EBU Cable	48
AES-300T Series AES/EBU Snake	48
AES-315Y AES/EBU Snake	48
AES-805T AES/EBU Snake	48
AES-805Y AES/EBU Snake	48
AIR-464 Gear Duster Compressed Air	65
Astro-Grip	61
ATT-448 Input Attenuator	5
Attenuator	5
Audio Switcher	45
B	
Batteries	62
BLB-242 Console Lamp Replacement Bulbs	67
BLB-242H Console Lamp Replacement Bulbs	67
BNA-050 Connector	41
BNA-100 Connector	41
BNA-240 Connector	41
BNA-260 Connector	41
BNC-06-000 Series 75-ohm Coax	53
BNC-500FE Series RGBHV Cable	50
BNC-58-100 Series 50-ohm Coax	59
BNC-59-100 Series 75-ohm Coax	53
BNP-100 Series Speaker Adaptors	18
BNR-100 Series 75-ohm Coax	53
Bulk Cable	37
C	
C3M-100 Camcorder AV Breakout	52
Cable Tester	66
Cable Tie	61
Camcorder Microphone Cable	29-30
CAT-500BK Series Cat 5e Cable	59
CAT-501BU Series Cat 5e Cable	59
CBT-375 Audio Cable Tester	66
CCD-100 Series CD Controller Cable	56
CDL-313 Digital Audio Interface	49
CFR-210 Stereo Breakout	31
CFS Series Guitar Patch Cable	8
Cleaners & Conditioners	64-65
CMI-100 Series Microphone Cable	4
CMK Bulk Elite Microphone Cable	37
CMK-000AU Series Elite Microphone Cable	3
CMM-100 Series Stereo Interconnect	28
CMM-100R Series Stereo Interconnect	28
CMM-100RR Series Stereo Interconnect	28
CMM-105C Coiled Stereo Interconnect	28
CMM-300 Series Mono Interconnect	28
CMM-500 Series Stereo Interconnect	28
CMP-100 Series Mono Interconnect	28
CMP-100 Series Stereo Breakout	31
CMP-300 Series Mono Interconnect	28
CMR-200 Series Stereo Breakout	31
CMR-200R Series Stereo Breakout	31
CMS-100 Series Stereo Interconnect	28
Composite AV Cables	52
Connectors	40-41
Control & Sync Cables	56
CPE Series Guitar Patch Cable	7
CPP-100 Series Unbalanced Interconnect	22
CPP-100R Series Unbalanced Interconnect	22
CPP-200 Series Stereo Interconnect	23
CPP-800 Series Unbalanced Patch Cables	45
CPP-800 Series Unbalanced Snake	26
CPP-800-PRO Series Pro Unbalanced Snake	25
CPR-100 Series Unbalanced Interconnect	22
CPR-100R Series Unbalanced Interconnect	22
CPR-200 Series Stereo Interconnect	23
CPR-800 Series Unbalanced Snake	26
CRA-100 Series Unbalanced Interconnect	22
CRA-200 20 Series Stereo Interconnect	23
CRA-200 Series Stereo Interconnect	23
CRA-200AU Series Stereo Interconnect	23
CRA-200DJ Series Stereo Interconnect	23
CRA-200PB Series Stereo Interconnect	23
CRA-200R Series Stereo Interconnect	23
CRA-200RR Series Stereo Interconnect	23
CRA-800 Series Unbalanced Patch Cables	45
CRA-800 Series Unbalanced Snake	26
CSS-100 Series Balanced Interconnect	21
CSS-100R Series Balanced Interconnect	21
CSS-100RR Series Balanced Interconnect	21
CSS-200 Series Stereo Interconnect	23
CSS-800 Series Balanced Patch Cables	45
CSS-800 Series Balanced Snake	26
CSS-800-PRO Series Pro Balanced Snake	25
CXP-000 Series Elite Microphone Cable	3
CYA-100 Series Y Cable	32
CYP-100 Series Y Cable	32
CYR-100 Series Y Cable	32
CYS-100 Series Y Cable	32
CYX-400F Series Stereo Breakout	31
CYX-400M Series Stereo Breakout	31
D	
D100S-2 DeoxIT Contact Cleaner	65
D50W DeoxIT Contact Cleaner	65
D5S-6 DeoxIT Contact Cleaner	65
DBD-300 Series Balanced Snake	25
DBK-100 Series Synthesizer Controller	56
DBK-300 Series TDIF Dubbing Cable	56
DeoxIT Cleaners & Conditioners	65
DIB-307A Active DI Box	9
DIB-443 Sidekick Passive DI Box	9
Digital Audio Interface	49
Direct Boxes	9
DMT-414 DMX512 Terminator	60
DMT-485 DMX512 Terminator	60
DMX Cables & Adaptors	60
DMX-106 DMX512 Adaptor	60
DMX-306 DMX512 Adaptor	60
DMX-500 Series DMX512 Cable	60
DOC-106 Insert Direct-Out Adaptor	24
DRA-500 Series S/PDIF Coax	49
DTF-800 Series Balanced Snake	25
DTM-800 Series Balanced Snake	25
DTP-800 Series Balanced Snake	25
Dual Interconnects	23
E	
EBU Bulk AES/EBU Cable	37
EBU-000 Series AES/EBU Cable	48
Elite Microphone Cable	3
Elite Series Guitar Cable	7

INDEX

Alpha Numeric Index Page

F

F100L-L25C DeoxIT FaderLube Contact Protector 65
F5S-H6 DeoxIT FaderLube Contact Protector 65
FireWire Adaptors 56
FireWire Cables 57
FIW-44-100 Series FireWire 400 Cable 57
FIW-46-100 Series FireWire 400 Cable 57
FIW-66-100 Series FireWire 400 Cable 57
FIW-94-100 Series FireWire 800 Cable 57
FIW-96-100 Series FireWire 800 Cable 57
FIW-99-100 Series FireWire 800 Cable 57
FSC Series Footswitches 10
FW-64U2 FireWire 400 Cable 56

G

G50W DeoxIT GOLD Contact Enhancer 65
G5S-6 DeoxIT GOLD Contact Enhancer 65
GFT-400BK Series Gaffer Tape 61
GFT-400WH Series Gaffer Tape 61
GFT-400YE Series Gaffer Tape 61
GFW-517 FireWire 400 Adaptor 56
GGC-301 DE9 Coupler 56
GGC-451 VGA Coupler 50
GLC-104 Goby Labs Fingerboard Conditioner 64
GLF-104 Goby Labs Case Freshner 64
GLM-112 Goby Labs Microfiber Cloth 64
GLP-104 Goby Labs Guitar Polish 64
GLS-104 Goby Labs Microphone Sanitizer 64
GLT-255 Ground Lifter 5
GMD-108 MIDI Coupler 55
GMM-303 Adaptor 35
GMP-112 Adaptor 34
GMP-113 Adaptor 35
GMP-272 Adaptor 36
GMP-386 Adaptor 35
GMP-467 Adaptor 36
GMP-471 Adaptor 36
GMP-500 Adaptor 36
GMS-274 Power Switch 5
Goby Cleaners & Conditioners 64
GOP-490 Fiber Optic Adaptor 49
GPM-103 Adaptor 35
GPM-179 Adaptor 35
GPP-105 Adaptor 34
GPP-146 Guitar Pedal Crank 8
GPP-151 Adaptor 34
GPP-273 Adaptor 34
GPP-290 Adaptor 34
GPP-296 Guitar Pedal Coupler 8
GPP-359 Adaptor 34
GPP-419 Adaptor 34
GPR-101 Adaptor 35
GPR-104 Adaptor 34
GPR-123 Adaptor 35
GPR-484 Adaptor 35
GRA-101 Adaptor 35
GRA-259 Adaptor 35
GRF-341 Adaptor 35
GRF-398 Adaptor 35
GRM-114 Adaptor 35
GRM-193 Adaptor 35
Ground Lifter 5
GSB-509 USB Adaptor 58
GSC-102 Goby Labs Screen Cleaner 64
GSK-100 Series Speaker Adaptors 18
GST Series Guitar Stands 11
GTC-325R Coiled Guitar Cable 8
GTR-000 Series Elite Guitar Cable 7
GTR-200 Series Guitar Cable 7
GTR-215 JH JamHub Direct Guitar Cable 47
GTR-518 Tweed Guitar Cable 8
Guitar Cables 7-8
Guitar Stands 11
GXF-132 Adaptor 35
GXJ-183 Adaptor 34
GXJ-235 Adaptor 34
GXM-133 Adaptor 35
GXP-143 Adaptor 34
GXP-246 Adaptor 34
GXR-134 Adaptor 34
GXR-135 Adaptor 34
GXX-144 Adaptor 34
GXX-145 Adaptor 34
GXX-195 Phase Reverser 5

H

HDC-800 Headphones 46
HDMC-300 Series High Speed HDMI Cable 54
HDMD-300 Standard HDMI Cable 54
HDMI Cables and Adaptors 54
HDMI-300 Series High Speed HDMI Cable 54
HDS-338 Supra-Aural Headphones 46
HDS-338EP Replacement Earpads for HDS-338 46
Headphones & Accessories 46
HEM-331 Hum Eliminator for Pro Audio 66
HEM-462 Hum Eliminator for PC Integration 66
HGTR-000Series Pro Guitar Cable 7
HMIC-000 Series Pro Microphone Cable 3
HMIC-000HZ Series Pro Microphone Cable 4
HPE-300 Series Headphone Extension 46
HPE-325C Coiled Headphone Extension 46
HPP-000 Series Pro Unbalanced Interconnect 19
HPP-000 Series Pro Stereo Interconnect 20
HPR-000 Series Pro Unbalanced Interconnect 20
HPR-000 Series Pro Stereo Interconnect 20
HPX-000 Series Pro Unbalanced Interconnect 19
HRR-000 Series Pro Balanced Interconnect 20
HRR-000 Series Pro Stereo Interconnect 20
HRX-000 Series Pro Balanced Interconnect 20
HSS-000 Series Pro Balanced Interconnect 19
HSS-000 Series Pro Stereo Interconnect 20
HSX-000 Series Pro Balanced Interconnect 19
HXP-000 Series Pro Unbalanced Interconnect 19
HXR-000 Series Pro Unbalanced Interconnect 20
HXS-000 Series Pro Balanced Interconnect 19
HXX-000 Series Pro Balanced Interconnect 19

I

Impedance Transformers 5
Input Attenuator 5
Insert Cables 24
Insert Direct-Out Adaptor 24
Instrument Cables 7-8
Instrument Couplers 8
Instrument Footswitches 10
Instrument Interfaces 9
Instrument Stands 11
IRG Series Guitar Patch Cable 8

J

JCK-118 Connector 41
Instrument Stands 14
IRG Series Guitar Patch Cable 8
JHL-107 JamHub Cable Label 47
JHS-310 JamHub Section Cable 47
JMB-025 Connector 41
JMB-025W Connector 41

K

KBT-442 Keyboard Stand 11
Keyboard Stand 11

INDEX

Alpha Numeric Index

	Page
L	
Labels	47,61
Lamps - LED & Incandescent	67
LBL-466 Label-A-Cable Cable Labels	61
LBL-505 Scribble Strip Console Tape	61
Little Bro' Sub-Snakes	27
LTE-200 Series Incandescent Console Lamp	67
LTE-300 Series Incandescent Console Lamp	67
LTE-500 Series LED Console Lamp	67
M	
Made for JamHub	47
MBL-100 Series Economy Microphone Cable	4
MCH-100 Series Microphone Cable	4
MCL-100 Series Microphone Cable	4
MHB-350 Patch Bay Module	45
MHD-3 Microphone Clip Adaptor	6
MHD-4 Microphone Stand Adaptor	6
MHE-100 Series Headphone Extension Cable	46
MHE-100.5 Headphone Adaptor	46
MHE-300 Series Headphone Adaptor Cable	46
MHR Series Microphone Clips	6
Microphone Adaptors	5
Microphone Cables	3-4,29,30
Microphone Clips	6
Microphone Holders	6
Microphone Power Switch	5
Microphone Stands	6
MID-200 Series Dual MIDI Cable	55
MID-300BK Series MIDI Cable	55
MID-300BU Series MIDI Cable	55
MID-300RD Series MIDI Cable	55
MID-300RR Series Right-Angle MIDI Cable	55
MID-500 Series Pro MIDI Cable	55
MIDI Cables	55
MIT-129 Impedance Transformer	5
MIT-156 Impedance Transformer	5
MIT-176 Impedance Transformer	5
MIT-435 Impedance Transformer	5
MMH Series Microphone Holders	6
MMH-472 Universal Stand Clamp	6
MMK-000AU Series Microphone Cable	3
MMK Bulk Elite Microphone Cable	37
MMX-000 Series Microphone Cable	29
MMX-000SR Series Microphone Cable	29
Mono Interconnect	28
MSB-139 Microphone Stand	6
MSB-382BK Short Microphone Stand	6
MSB-446 Microphone Stand Boom	6
MSB-521 Microphone Stand	6
MSC-000 Series Microphone Cable	3
MSK-411 Musician's Survival Kit	36
MST-140 Microphone Stand	6
MST-141 Microphone Stand	6
MUS-439 Music Stand	11
Music Stand	11
Musician's Survival Kit	36
MXL-369 Patch Bay Module	45
MXP-000 Series Microphone Cable	3
MXM-000 Series Microphone Cable	29
MXM-000RS Series Microphone Cable	29
MXX-000 Series Microphone Cable	29
MXX-000RS Series Microphone Cable	29
MXX-000SR Series Microphone Cable	29
N	
NA4LJX Neutrik Speaker Adaptor	18
NBF-354 75-ohm Adaptor	53
NBN-258 75-ohm Connector	53
NBN-302 75-ohm Adaptor	53
NBR-253 75-ohm Adaptor	53
NBR-271 75-ohm Adaptor	53
NBR-321 75-ohm Adaptor	53
NC3FD-L-1 Neutrik Connector	38
NC3FP-1 Neutrik Connector	38
NC3FRX Neutrik Connector	38
NC3FRX-B Neutrik Connector	38
NC3FXX Neutrik Connector	38
NC3FXX-B Neutrik Connector	38
NC3FXX-BAG Neutrik Connector	38
NC3MD-L-1 Neutrik Connector	38
NC3MP Neutrik Connector	38
NC3MRX Neutrik Connector	38
NC3MRX-B Neutrik Connector	38
NC3MXX Neutrik Connector	38
NC3MXX-B Neutrik Connector	38
NC3MXX-BAG Neutrik Connector	38
NDH-444 HDMI Adaptor	54
NDH-445 HDMI Adaptor	54
NDV-431 VGA Adaptor	50
Network Cables	59
Neutrik Connectors	38-39
New Items	2
NFF-339 75-ohm Adaptor	53
NHD-518 HDMI Adaptor	54
NJ3FC6 Neutrik Connector	39
NJ3FP6C Neutrik Connector	39
NL2FC Neutrik Connector	39
NL4FX Neutrik Connector	39
NL4MMX Neutrk Speaker Coupler	18
NL4MP Neutrik Connector	39
NL4MPR Neutrik Connector	39
NP2RX Neutrik Connector	39
NP2RX-B Neutrik Connector	39
NP2X Neutrik Connector	39
NP2X-B Neutrik Connector	39
NP2X-BAG Neutrik Connector	39
NP3TT-1-B Neutrik Connector	38
NP3RX Neutrik Connector	39
NP3RX-B Neutrik Connector	39
NP3X Neutrik Connector	39
NP3X-B Neutrik Connector	38
NP3X-BAG Neutrik Connector	38
NRF-264 75-ohm Adaptor	53
NRF-292 75-ohm Adaptor	53
NRF-355 75-ohm Coupler	53
NSR-380 S-Video Coupler	51
NSR-381 S-Video Coupler	51
NSV-252 S-Video Connector	51
NSV-316 S-Video Coupler	51
NTF-102 Bulk 75-ohm Adaptor	53
NTM-101 Bulk 75-ohm Adaptor	53
O	
ODL-276A Digital Audio Interface	49
ODL-312 Digital Audio Interface	49
OPM-300 Series Pro Fiber Optic Cable	49
OPQ-200 Series Fiber Optic Cable	49
OPT-100 Series Fiber Optic Cable	49
Organizers	61
P	
Patch Bays	45
Patch Cables	45
PDC-373 Daisy Chain Extension Cord	62
PDR-369 Patch Bay	45
Phase Reverser	5
PHB-350 Patch Bay	45
PHX-100F Connector	41
PHX-106F Low-Voltage Adaptor	36
PHX-106M Low-Voltage Adaptor	36

INDEX

Alpha Numeric Index

	Page
PHX-206F Low-Voltage Adaptor	36
PHX-206M Low-Voltage Adaptor	36
PHX-300F Connector	41
PLG-025 Connector	40
PLG-025S Connector	40
PLG-025W Connector	40
PLG-035 Connector	41
Power Adaptor for Active DI Box	9
Power Cables & Adaptors	62-63
Power Supplies	62
PPC-100 Series Powered Speaker Cable	18
PPP-000 Patch Bay Module Rack	45
PRG-370 Connector	41
PRG-370AU Connector	41
PRG-370S Connector	40
PRO-9V12 Procell 9V Batteries	62
PRO-AA4 Procell AA Batteries	62
PRO-AAA4 Procell AAA Batteries	62
Pro-Conex Stage Box Snakes	27
Pro Single Interconnects	19-20
Pro Stereo Interconnects	20
PWA-421 Power Adaptor	63
PWA-486 Right-Angle Power Adaptor	63
PWC-100 Series Power Cord	63
PWC-100R Series Power Cord	63
PWC-178 Power Cord	63
PWC-400 Series Power Cord	63
PWD-400 Series Power Cord	63
PWP-426 Power Cord	63
PWP-461 Power Cord	63
PWP-483 Power Cord	63
PWX-400 Series Power Extension Cord	63
PXF-100 Series Unbalanced Interconnect	22
PXM-100 Series Unbalanced Interconnect	22
R	
RCA-025 Connector	41
RGB-500 Series VGA Breakout	50
RGB-500FE Series VGA Breakout	50
RMC-180 Rack Mounting Hardware	45
RMT-152 19-inch Rack	45
RMT-254 19-inch Rack	45
S	
S/PDIF Interfaces	49
S/PDIF Optical Cables	49
S50W DeoxIT SHIELD Contact Protector	65
S5S-6 DeoxIT SHIELD Contact Protector	65
SBC-195 MIDI to Sound Card Interface	55
Scribble Strip Console Tape	61
SH-12X4 Series Pro-Conex Stage Box Snakes	27
SH-16X4 Series Pro-Conex Stage Box Snakes	27
SH-24X4 Series Pro-Conex Stage Box Snakes	27
SH-32X8 Series Pro-Conex Stage Box Snakes	27
SH-6X2 Series Little Bro' Sub-Snakes	27
SH-8X0 Series Little Bro' Sub-Snakes	27
SH-8X4 Series Pro-Conex Stage Box Snakes	27
Single Interconnects	21-22
SKC-200 Series Speaker Cable	15
SKC-200BN Series Speaker Cable	15
SKC-200Q Series Speaker Cable	15
SKC-600 Series Speaker Cable	16
SKC-600BN Series Speaker Cable	16
SKC-600Q Series Speaker Cable	16
SKJ-200 Bulk Speaker Cable	37
SKJ-200 Series Speaker Cable	13
SKJ-200BN Series Speaker Cable	13
SKJ-400 Bulk Speaker Cable	37
SKJ-400 Series Speaker Cable	14
SKJ-400BN Series Speaker Cable	14
SKJ-600 Bulk Speaker Cable	37
SKJ-600 Series Speaker Cable	15
SKJ-600BN Series Speaker Cable	15
SKM-200 Bulk Speaker Cable	37
SKM-200 Series Speaker Cable	16
SKM-200BN Series Speaker Cable	16
SKM-600 Bulk Speaker Cable	37
SKM-600 Series Speaker Cable	16
SKM-600BN Series Speaker Cable	17
SKN-600 Series Speaker Cable	17
SKN-600BN Series Speaker Cable	17
SKN-600Q Series Speaker Cable	17
SKO-200 Bulk Speaker Cable	37
SKO-200 Series Speaker Cable	12
SKO-200BN Series Speaker Cable	12
SKO-200Q Series Speaker Cable	12
SKO-400 Series Speaker Cable	12
SKO-400BN Series Speaker Cable	12
SKO-400Q Series Speaker Cable	12
SKT-200 Series Speaker Cable	13
SKT-200BN Series Speaker Cable	13
SKT-200Q Series Speaker Cable	13
SKT-400 Series Speaker Cable	13
SKT-400BN Series Speaker Cable	14
SKT-400Q Series Speaker Cable	14
SKT-600 Series Speaker Cable	14
SKT-600BN Series Speaker Cable	14
SKT-600Q Series Speaker Cable	15
SKZ-600 Bulk Speaker Cable	37
SKZ-600 Series Speaker Cable	17
SKZ-600BN Series Speaker Cable	17
SLW-333 Audio Switcher	45
Snakes	25-26
SNX-12X4 Series Pro-Conex Stage Box Snakes	27
SNX-16X4 Series Pro-Conex Stage Box Snakes	27
SNX-24X4 Series Pro-Conex Stage Box Snakes	27
SNX-8X4 Series Pro-Conex Stage Box Snakes	27
Speaker Adaptors	18
Speaker Cables	12-17
Specialty Cables	28
SRC-200 Series Insert Cable	24
Stage Box Snakes	27
Stereo Breakouts	31
Stereo Interconnects	23,28
STP-200 Series Insert Cable	24
STP-201RR Series Insert Cable	24
STP-800 Series Insert Snake	26
STP-800-PRO Series Pro Insert Snake	25
STX-100F Series Balanced Interconnect	21
STX-100M Series Balanced Interconnect	21
STX-800F Series Balanced Snake	25
STX-800F-PRO Series Pro Balanced Snake	25
STX-800M Series Balanced Snake	26
STX-800M-PRO Series Pro Balanced Snake	25
SVC-100AU Series S-Video Cable	51
S-Video Adaptors	51
S-Video Cables	51
SVR-487 S-Video Coupler	51
T	
Tracklink Interfaces	4,9,55
TRS-200 Series Insert Cable	24
TTQ-100 Series Balanced Interconnect	22
TTS-102 Balanced Interconnect	21
TTS-800 Series Balanced Patch Cables	45
TTX-103F Balanced Interconnect	21
TTX-103M Balanced Interconnect	21
U	
Universal Power Adaptor	62
USB Audio Interfaces	4,9,55

INDEX

Alpha Numeric Index

	Page
USB Cables & Adaptors	58
USB-200AB Series High Speed USB Cable	58
USB-200AF Series High Speed USB Extension	58
USB-200AM Series High Speed USB Cable	58
USM-422 MIDI to USB Interface	55
USQ-110 Guitar to USB Interface	9
USX-110 Microphone to USB Interface	4
V	
VBB-06-000 Series Elite 75-ohm Coax	53
VCC-300 Series Component Video Cable	50
VCC-300AU Series Component Video Cable	50
VDF-100 Series 75-ohm Coax	53
VGA Adaptors	50
VGA Cables	50
VGA-300 Series VGA Cable	50
VGA-300FE Series VGA Cable	50
VGA-300MF Series VGA Extension Cable	50
VGF-300 Series VGA Breakout	50
VGM-300 Series VGA AV Cable	50
VGR-300 Series VGA AV Cable	50
VRA-300 Series Composite AV Cable	52
VSA-356 S-Video Breakout	51
VSB-346 S-Video Breakout	51
VSB-455 S-Video Breakout	51
VSF-454 S-Video Breakout	51
VSR-300 Series S-Video AV Cable	51
VSS-453 S-Video Y Cable	51
W	
Wall Plates	42-44
WHD-410 Split-Loom Cable Organizer	61
WNN-301 Pro Wall Plate	42
WNN-302 Pro Wall Plate	42
WNN-402 Pro Wall Plate	42
WNN-404 Pro Wall Plate	43
WPP-101 Wall Plate	43
WPP-102 Wall Plate	44
WPP-202 Wall Plate	44
WPP-204 Wall Plate	44
WSS-101 Wall Plate	43
WSS-102 Wall Plate	44
WSS-202 Wall Plate	44
WSS-204 Wall Plate	44
WSS-301 Pro Wall Plate	42
WSS-302 Pro Wall Plate	42
WSS-404 Pro Wall Plate	43
WTI-148 Hook and Loop Organizer	61
WTI-148G Hook and Loop Organizer	61
WTI-156G Hook and Loop Organizer	61
WTI-157G Hook and Loop Organizer	61
WTI-172 Cable Tie	61
WTI-173 Cable Tie	61
WTI-294 Cable Tie	61
WTI-501 Astro Grip	61
WXX-101F Wall Plate	43
WXX-101M Wall Plate	43
WXX-102F Wall Plate	43
WXX-102M Wall Plate	43
WXX-102MF Wall Plate	44
WXX-202F Wall Plate	44
WXX-202M Wall Plate	44
WXX-204F Wall Plate	44
WXX-204M Wall Plate	44
WXX-204MF Wall Plate	44
WXX-301F Pro Wall Plate	42
WXX-301M Pro Wall Plate	42
WXX-302F Pro Wall Plate	42
WXX-302M Pro Wall Plate	42
WXX-302MF Pro Wall Plate	42
WXX-402F Pro Wall Plate	42
WXX-402M Pro Wall Plate	42
WXX-404F Pro Wall Plate	43
WXX-404M Pro Wall Plate	43
WXX-404MF Pro Wall Plate	43
X	
XFF-100 Series Balanced Interconnect	21
XLF-025 Connector	40
XLF-035 Connector	40
XLF-501 Connector	40
XLM-025 Connector	40
XLM-035 Connector	40
XLM-501 Connector	40
XLR-100 Series Balanced Interconnect	21
XLR-800 Series Balanced Snake	25
XRF-100 Series Unbalanced Interconnect	22
XRM-100 Series Unbalanced Interconnect	22
XRR-100 Series Balanced Interconnect	21
XRR-318F Connector	40
XRR-318M Connector	40
XVM-100F Series Microphone Cable	30
XVM-305F Microphone Cable	30
XVM-305M Microphone Cable	30
XVS-100F Series Microphone Cable	30
Y	
Y Cables	32-33
YAC-406 Power Extension Y Cable	63
YAC-407 Power Extension Y Cable	63
YIE-406 Power Y Cable	63
YMM-232 Y Cable	33
YMM-261 Stereo Breakout	31
YMM-379 Stereo Breakout	31
YMM-492 Air Travel Headphone	46
YMP-137 Stereo Breakout	31
YMP-233 Y Cable	33
YMP-234 Y Cable	32
YMP-434 Stereo Breakout	31
YMR-197 Stereo Breakout	31
YPM-523 Stereo Breakout	31
YPP-106 Y Cable	32
YPP-111 Y Cable	32
YPP-117 Stereo Breakout	31
YPP-118 Y Cable	32
YPP-136 Stereo Breakout	31
YPP-308 Y Cable	32
YPP-491 Y Cable	32
YPR-102 Stereo Breakout	31
YPR-103 Y Cable	32
YPR-124 Y Cable	33
YPR-131 Y Cable	32
YPR-257 Stereo Breakout	31
YRA-104 Y Cable	33
YRA-105 Y Cable	33
YRA-115 Y Cable	33
YRA-154 Stereo Breakout	31
YRA-167 Stereo Breakout	31
YVG-449 VGA Y Cable	50
YXF-100 Series Y Cable	32
YXM-100 Series Y Cable	32



XLR Female
Usage: Microphone, Audio Interconnect



XLR Male
Usage: Microphone, Audio Interconnect



1/4" TRS Phone
TRS (Tip-Ring-Sleeve)
a.k.a. Stereo or Balanced
Usage: Audio Interconnect



1/4" TS Phone
TS (Tip-Sleeve)
a.k.a. Mono or Unbalanced
Usage: Audio Interconnect, Instrument , Speaker



VGA
Video Graphics Array
Usage: transmits video signal from computers, projectors, etc...

S-Video
Usage: Video..

BNC Male
Usage: Video, Word-Clock

F Connector Male
Usage: Video



Stereo 3.5mm (1/8")
a.k.a. Stereo Mini
Usage: Audio Interconnect, Speaker



Mono 3.5mm (1/8")
a.k.a. Mono Mini
Usage: Audio Interconnect, Speaker



RCA
Usage: Audio Interconnect, Speaker, Video, Digital Audio

Tiny-Tel
a.k.a. TT or Bantam
Usage: Audio Interconnect



Toslink Optical
Usage: Digital Audio



Firewire-400 6-Pin
IEE-1394 or iLink
Usage: Digital Audio, Digital Video, Computer Data



Firewire-400 4-Pin
IEE-1394 or iLink
Usage: Digital Audio, Digital Video, Computer Data



Firewire-800 9-Pin
IEE-1394b
Usage: Digital Audio, Digital Video, Computer Data



Phoenix
Usage: Audio Interconnect



Speakon by Neutrik®
Usage: Speaker



Dual Banana
Usage: Speaker

Spade Connector
Usage: Speaker



USB-A
Universal Serial Bus
Usage: Computer Data, Digital Audio, Digital Video



USB-B
Universal Serial Bus
Usage: Computer Data, Digital Audio, Digital Video



DB-25
a.k.a. 25-Pin D-Sub
Usage: Computer Data, Digital Audio, Analog Audio



HDMI
High-Definition Multimedia Interface
Usage: Audio/Visual



DVI-D Single Link
Digital Visual Interface
Usage: Video



DVI-D Dual Link
Digital Visual Interface
Usage: Video



DVI-I
Digital Visual Interface
Usage: Video



NEMA Male
a.k.a. Edison, 3-Prong
Usage: Standard AC Plug



NEMA Female
a.k.a. Edison, 3-Prong
Usage: Standard AC Plug



IEC Female
Type 60320-C13
Most Common plug used on power cords for computer and musical equipment



Disclaimer

- Pricing and availability subject to change without notice
- Due care has been taken to ensure the accuracy of all listed pricing and descriptions E & OE
- Product specifications subject to change without notice
- All trademarks are the property of their respective owners

Warranty

All Hosa cables and adaptors are covered by a limited lifetime warranty. All other Hosa products are covered by a one year warranty. Please visit www.hosatech.com for details, limitations, and exclusions.